

Interior Design Lighting

Catalogue

COLLECTIONS



LASER 20-26 STALACTITE 27 EYE 28-37 EYE SUPER 38-43 MORE 44-47 IMBRIA 48-49




BATON 50-51 POLY 52 QUEBECK 53 PEAR 54-57 CYLINDER 58-59 SPHERE 60-61



CRANE 64 MONACO 62-65 VETRO 66-67 AMALFI 68-69 POLARIS 70-71 GLOBE PLUS 72-73



SALVA 74-75 NUAGE 76-79 NUNTUCET 80-81 NEWPORT 82 TESALLI 83 BOSTON 84-86



HAMPTON 87 CRISTAL 88-89 KATERINA 90 MODENA 91 TOSCANA 91 LAGUNA 92-93



TURDA 94-97 CROCO 98-99 BARREL 100 CONE 101 MIST 102 FORM 103



CAMERON 104-105 VIVIANE 106 VIOLET 107 FALCON 108 HAWK 109 VIPER 110-111



ALICE 112-115 FLEX SHADE 116 FLEX 117 RETTO 118 MOSS 119 HOTEL 120-123



CHILLIN 124-125 BORDE 126-127 VELERO 128-129 FARO 128 PETIT 130-133 CADILAC 134-135



TRIFLE 136 ZELDA 137 ROCKET 138 ACROSS 139 SUNRISE LED 142 SUNSET 140-145



SUN LED 144-145 WHEEL 146-148 WHEEL LUX 149 MINIMAL 150 DISK 151 OSLO LED 152-153



AWINION 154 COBA ANTIQUE 155 IKA 156 BIO S 157 DOVER 158-159 ORBIT 160-163



PILLS 164-165 RADIUS 166-167 ROTOR 168-171 STICKS 172-173 AXIS 174-175 ROD 176-177



PILE 178



MILL 179




MANUFACTURE 180-181



WORKSHOP 182-183



FIORD 184



TWIG 185



KAREN 234



CAMILLA 234



NESS 235



CAGE 235



ALLAN 235



MERSEY 236



SPIDER 186-187



CABLE 188



TULUM 189



SILICONE 189



GEOMETRIC 190



SHY 190



MEKNES 236



AVEIRO 237



MARGARET 238



ARES 239



TWIST 240-241



REMBRANT LED 242-244



VOLCANO 191



LAVA 191



GIPSY 192-193



SOLID 194



SHY 195




BOLD 195



GIOTTO LED 245



IMPULSE LED 246-247



STRAIGHT CEILING LED 248-249



STRAIGHT WALL LED 250



H LED 251



SOFT LED 252-255



CRATE 196-197



PLANT 198-199



HERMANOS 200-203



ZENITH 204-205



PERM 206-207



TECHNO 208-209



WING LED 256



ION LED 257



CUBE 258



TUBE 259



LIA LED 259



GESS LED 259



PANTOGRAPH 210



CRAFT 211



HARMONY 212



HIGH-BAY 213



GARRET 214-215



HEMISPHERE RUST 216-217



BERGEN 260



HAGA 260



MALMO 261



NARWIK 261



RING LED 262-263



ORGANIC 264-265



WORKS 218



HEMISPHERE HIT 219



HEMISPHERE 220-221



EGG 222-223



CANOE 224-225



LUKSOR 226-228



KASAI 266-267



AGNES ROUND LED 268



AGNES SQUARE LED 269



STYLE LED 270-271



SMART LED 272



CHIC LED 273



WAVE 229



ABI 230



PICO 231



GSTAR 232



BULLET 233



UMBRELLA 234



POCATELLO 274-275



COSMO 276-277



PUZZLE 278-280



PLANE 281



MALWI 282-283


SPOTLIGHTS



DOWNLIGHTS



PROFILE TRACK LIGHT SYSTEM



BATHROOM LIGHTING



ICE EGG 364-365



PIN LED 366-367



VAN GOGH 368-369
LED



PICASSO LED 370



LATH LED 370



KAGERA LED 371



VISTA 372



PAN LED 373



CAYO 374



SIS 375



BALI 376



CELTIC 377



BRAZOS 378-379



SIMI 379



ICE TUBE 380-381
LED



ICE BALL 382-383



TORCH 383



BASSA LED 385



MALAKKA 384-385
LED



ARENA 386-387



BRAVO 388



ALPHA 388-389



CHARLIE 392



DELTA 392



GOLF 393



ECHO 393



FOXROT 394



JULIET 395



HELIOS LED 395



EOL LED 395

OUTDOOR LIGHTING



CUMULUS 398-401



FLOWERPOT 402-403



CUMULUS CUBE 404



STAR 405



GALAXY 405



STRUCTURE 406-407
LED



SYMMETRY 408-409
LED



OTTAWA 410



SOUL 411



TUBINGS 412-415



SPIKE LED 416



BUSH 417



THIKA LED 418-419



RIO 420-421



ROCK 422



FOG 423



NEGRO 424



EXE 425



SIERRA 426



BRIC 427



ORINOKO 427



UNIT LED 427



MEKONG 428



MISTRAL 429



AMUR 430



TYBR 431



TAY 432



SPEY 433



LANTERN 434



DON 434



QUARTZ 435



INDUS 435



LHOTSE LED 436



POLE LED 436



TEPIC LED 437



MONTERREY 437
LED



NORIN 438 HORN 438 OIR 439 SIROCCO 439 PATHWAY FOUNDATION KIT 440 PATHWAY LED 440-441



PICNIC LED 466-467 HANGING SET FOR PICNIC LED 466 MAHE LED 468-469 POWER CORD FOR FESTOON LIGHTS 471 FESTOON LIGHTS 470-471



PUEBLA LED 442 MERIDA LED 442 HEXA 443 LENS LED 446 EDESA LED 447 NOOK 448-450

LIGHT SOURCES AND ACCESSORIES



TAHOE 451 ZOA LED 452 SINUS 453 PATRAS LED 453 MUNO LED 453 ELLIPSES LED 454



REFLECTOR COB LED, GU10, ES111, 15W 474 REFLECTOR LENS LED, GU10, ES111, 9W 474 REFLECTOR DIFFUSER LED, GU10, ES111, 9W 474 BULB LED G9, 7W 475 BULB LED G9, 4W 475 BULB LENS LED, G9, 3W 475



TRIANGLES LED 454 LIMA LED 455 KHUMBU 455 ASSOS 456 ARRIS 457 NICO 457




REFLECTOR LED, GU10, R50, 7W 475 BULB LED, GX53, 8W 476 BULB GLASS BALL LED, E27, 8W 476 BULB LED, E27, A60, 2W, 5 PC SET 476 BULB VINTAGE LED, E14, 4W 477 BULB VINTAGE LED, E27, 4W 477



PEAK LED 458 DRAS LED 458 SEMI LED 458 PRIMM 459 FALLON 459 BAY LED 460



BULB VINTAGE LED, E27, 4W 477 BULB VINTAGE LED, E27, 4W 477 BULB VINTAGE LED, E27, 4W 477 TUBE LED T8 478 WATERPROOF CONNECTOR IP68 479 WATERPROOF „Y” CONNECTOR IP68 479



SIDEWALK ROUND LED 461 SIDEWALK SQUARE LED 461 BASALT 462 ASSAM 462 INA 462 STEP LED 463



MICROWAVE SENSOR 479 DUPLEX 479




OIA LED 463 PICCO LED 464 PAOLI 465 MON LED 465 PAT LED 465 CIRCLLET LED 465


LASER 1000 7668

LASER 8308





LASER 490 8922



LASER 490

painted steel

- 8922
- 8923

10xG9, max 10W only LED


solid brass, painted steel

- 8924

10xG9, max 10W only LED



LASER 1000 7668



LASER 1000

painting steel

- 7667

7xG9, max 10W only LED


solid brass, painting steel

- 7668

7xG9, max 10W only LED



LASER 490 8920



LASER 490

painting steel

- 8918
- 8920

7xG9, max 10W only LED


solid brass, painting steel

- 8921

7xG9, max 10W only LED



LASER 750 8433



LASER 490

painted steel

8796 8797

1xG9, max 10W only LED

solid brass, painted steel

8798

1xG9, max 10W only LED

LASER 490 8796



LASER 750

painted steel

8432 8433


1xG9, max 10W only LED

solid brass, painted steel

8431

1xG9, max 10W only LED

LASER 750 8433



LASER 1000

painted steel

8435 8436


1xG9, max 10W only LED

solid brass, painted steel

8434

1xG9, max 10W only LED

LASER 1000 8434



LASER
painted steel

- 8048 8047
- 2xG9, max 10W only Led
- solid brass, painted steel**
- 8308
- 2xG9, max 10W only LED




STALACTITE 9054



STALACTITE 9055




STALACTITE 8352




STALACTITE
painted steel

- 8355 8356
- 13xG9, max 10W only LED
- solid brass, painted steel**
- 9054
- 13xG9, max 10W only LED



STALACTITE
painted steel, flexible stem

- 8351 8350
- 1xG9, max 10W only LED
- solid brass, painted steel, flexible stem**
- 8352
- 1xG9, max 10W only LED



STALACTITE
painted steel, flexible stem


- 8353 8354
- 2xG9, max 10W only LED
- solid brass, painted steel, flexible stem**
- 9055
- 2xG9, max 10W only LED



EYE M 5397

EYE L 6841

EYE L 8800



EYE M

painted steel

5397 5400


5398 6840

1xGU10, max 10W only LED

solid brass, painted steel

8914

1xGU10, max 10W only LED



EYE L

painted steel

5455 5456

6841

1xGU10, max 10W only LED


solid brass, painted steel

8800

1xGU10, max 10W only LED



EYE 7863



EYE

painted steel

6481 7862

3xGU10, max 10W only LED

solid brass, painted steel

7863


3xGU10, max 10W only LED



EYE L 8917



EYE L 8916



EYE L
painted steel

8916 8917

3xGU10, max 10W only LED

solid brass, painted steel

8915

3xGU10, max 10W only LED



EYE L 8915




EYE L 6838



EYE M 5464



EYE S 5255



EYE S

painting steel

5255 5257


5256 6836

1xGU10, max 35W

solid brass

8911

1xGU10, max 35W



EYE M

painting steel

5463 5464 6837

1xGU10, max 35W

solid brass

8912

1xGU10, max 35W



EYE L

painting steel

5471 5472 6838

1xGU10, max 35W

solid brass

8913


1xGU10, max 35W



EYE S 8911

EYE M 8912

EYE L 8913



EYE WALL

painting steel


8073 8072

2xGU10, max 10W only LED

solid brass, painting steel

8074

2xGU10, max 10W only LED



EYE WALL CUT

painting steel

7993 7994

2xGU10, max 10W only LED


solid brass, painting steel

7995

2xGU10, max 10W only LED



EYE FLEX S 9068



EYE FLEX S

painting steel, flexible stem

9070 9068

1xGU10, max 10W only LED

solid brass, flexible stem, painting steel

9067


1xGU10, max 10W only LED



EYE FLEX S 9067



EYE FLEX 8935




EYE FLEX

painting steel, flexible stem

8934 8935

1xGU10, max 10W only LED




EYE

painting steel

5654 5655 6842

1xGU10, max 35W





EYE SUPER
 painted steel

6493 6500 6506

1xGU10, max 35W

EYE SUPER 6506






EYE SUPER 6501



EYE SUPER A 6495

EYE SUPER B 6490



EYE SUPER A

painted steel

6488 6495 6502

1xGU10, max 35W

EYE SUPER B


painted steel

6490 6496 6503

1xGU10, max 35W



EYE SUPER 6494



EYE SUPER


painted steel, chrome

6487 6494 6501

1xGU10, max 35W

WHITE P004 RAL 9003 GRAPHITE P010 RAL 7016 BLACK P013 RAL 9005

EYE SUPER 6497




EYE SUPER

painting steel, chrome

6491 6497 6504

3xGU10, max 35W

EYE SUPER 6505



EYE SUPER

painting steel, chrome

6492 6498 6505

6xGU10, max 35W

WHITE P004 RAL 9003 GRAPHITE P010 RAL 7016 BLACK P013 RAL 9005

EYE SUPER 6505









MORE TONE 7821



MORE EYE 7825



MORE TONE 7817



MORE EYE

painting steel

- 7824
- 7822

4xGU10, max 10W only LED

solid brass, painting steel

- 7610

4xGU10, max 10W only LED

MORE EYE

painting steel

- 7826
- 7825

5xGU10, max 10W only LED

solid brass, painting steel

- 7608

5xGU10, max 10W only LED

MORE TONE

painting steel, plastic ABS

- 7816
- 7814

4xGU10, max 10W only LED

MORE TONE


painting steel, plastic ABS

- 7821
- 7817


5xGU10, max 10W only LED



IMBRIA 9677



IMBRIA 7956




IMBRIA
painted steel, braided cable

- 9191 9192
- 4xGU10, max 35W

solid brass, braided cable, painted steel

- 7957
- 4xGU10, max 10W only LED




IMBRIA
painted steel, braided cable

- 9674 9675
- 6xGU10, max 35W

solid brass, braided cable, painted steel

- 7955
- 6xGU10, max 10W only LED




IMBRIA
painted steel, braided cable

- 9676 9677
- 6xGU10, max 35W

solid brass, braided cable, painted steel

- 7956
- 6xGU10, max 10W only LED



IMBRIA
painted steel, braided cable


- 9680
- 10xGU10, max 35W

solid brass, braided cable, painted steel

- 7954
- 10xGU10, max 10W only LED



BATON 7856



BATON

■ painted steel


■ 7852

● 1xE27, max 10W only LED

■ solid brass, painted steel

■ 7851

● 1xE27, max 10W only LED



BATON 7852



BATON 7851

BATON

■ painted steel

■ 7856

● 3xE27, max 10W only LED


■ solid brass, painted steel

■ 7855

● 3xE27, max 10W only LED



BATON 7853



BATON

■ painted steel

■ 7854

● 4xE27, max 10W only LED

■ solid brass, painted steel

■ 7853


● 4xE27, max 10W only LED



POLY 8885



POLY 8884



POLY
painted aluminum, painted steel

8884 8885


3xGU10, max 10W only LED



QUEBECK 5404




QUEBECK 5405



QUEBECK
painted aluminum, painted steel

5404 5406

3xGU10, max 35W



QUEBECK
painted aluminum, painted steel

5403 5405

1xGU10, max 35W




PEAR S 8673

PEAR L 8671

PEAR M 8672





PEAR S

glass, brass-plated steel, painted steel


8673

1xE27, max 40W

glass, painted steel

7800

1xE27, max 40W



PEAR M

glass, brass-plated steel, painted steel


8672

1xE27, max 40W

glass, painted steel

7798

1xE27, max 40W



PEAR L

glass, brass-plated steel, painted steel


8671

1xE27, max 40W

glass, painted steel

7797

1xE27, max 40W



PEAR

glass, brass-plated steel, painted steel

7794

3xE27, max 40W



CYLINDER L 7864

CYLINDER M 7865

CYLINDER S 7866



CYLINDER S

glass, painted steel

7866

1xGU10, max 10W only LED

glass, solid brass, painted steel

7870

1xGU10, max 10W only LED

CYLINDER M

glass, painted steel

7865

1xGU10, max 10W only LED

glass, solid brass, painted steel

7868

1xGU10, max 10W only LED

CYLINDER L

glass, painted steel

7864

1xGU10, max 10W only LED

glass, solid brass, painted steel

7867

1xGU10, max 10W only LED


TRANSPARENT

BLACK P013 RAL 9005

BRASS




CYLINDER M 7868




SPHERE S
glass, painted steel

7847
1xG9, max 10W




SPHERE
glass, painted steel

7788
3xE27, max 40W




SPHERE M
glass, painted steel

7848
1xE27, max 40W



SPHERE L
glass, painted steel

7850
1xE27, max 40W




SPHERE XL
glass, painted steel

7846
1xE27, max 40W




MONACO 9363

CRANE 9374




MONACO 9363



MONACO
glass, braided cable, painted steel

■ 9363

● 2xE27, max 60W




MONACO
glass, braided cable, painted steel

■ 9364

● 1xE27, max 60W




MONACO 9364



MONACO
glass, painted steel

■ 9362


● 2xE27, max 60W



CRANE
glass, painted steel, solid brass

■ 9374


● 1xE27, max 60W



MONACO
painted steel, glass

■ 8794

● 1xE27, max 60W




MONACO
glass, painted steel

■ 9308

● 1xE27, max 60W




MONACO 9308




VETRO
glass, painted steel

■ 7641
● 3xE27, max 60W




VETRO
glass, painted steel

■ 7642
● 5xE27, max 60W



VETRO
glass, painted steel

■ 9132
● 1xE27, max 60W



VETRO
glass, painted steel

■ 9131
● 7xE27, max 60W



AMALFI M 9153



AMALFI 9155




AMALFI 9154



AMALFI M 9152


AMALFI L 8381



AMALFI
metallized glass, steel, solid brass

9154 9155


1xE27, max 60W



AMALFI M
metallized glass, steel, solid brass

9152 9153

1xE27, max 60W



AMALFI L
metallized glass, steel, solid brass

8380 8381

1xE27, max 40W

GOLD
 SILVER
 BLACK



POLARIS 9060




POLARIS 9057



POLARIS 9058



POLARIS 9056



POLARIS

metallized glass, painted steel

- 9056
- 9057
- 9058

1xE27, max 60W

POLARIS

metallized glass, painted steel


- 9060

1xE27, max 60W

- SMOKED
- GOLD
- COPPER
- CHROME
- BLACK P013 RAL 9005




POLARIS 9057




GLOBE PLUS M
metallized glass, painted steel

- 7606
- 1xE27, max 60W



GLOBE PLUS S
metallized glass, painted steel

- 7605
- 1xE27, max 60W








GLOBE PLUS
metallized glass, painted steel

- 7607
- 3xE27, max 60W

■ CHROME ■ BLACK P013 RAL 9005



GLOBE PLUS M 7606



SALVA A
glass, stainless steel

5422
1xGU10, max 35W

SALVA C
glass, stainless steel

5424
3xGU10, max 35W

SALVA E
glass, stainless steel

5428
5xGU10, max 35W

SALVA G
glass, stainless steel


6845
4xE27, max 60W

SALVA H
glass, stainless steel

6846
4xE27, max 60W



NUAGE S 7024



NUAGE S


glass, chrome plated steel

7024

1xE27, max 60W



NUAGE L 7026




NUAGE M

glass, chrome plated steel

7025

1xE27, max 60W



NUAGE L


glass, chrome plated steel

7026

1xE27, max 60W



NUAGE 7027




NUAGE

glass, chrome plated steel

7027

3xE27, max 60W




NUAGE S

glass

7021

1xE27, max 60W



NUAGE M


glass

7022

1xE27, max 60W



NUAGE 9272



NUAGE


glass, chrome plated steel

9272

2xE27, max 60W




NUNTUCET 8150



NUNTUCET
chrome plated steel, fabric

8150

6xE14, max 40W



NUNTUCET
chrome plated steel, fabric

8151


1xE14, max 40W

CHROME

WHITE




NEWPORT 8156



NEWPORT
glass, fabric, chrome plated steel

8157
1xE14, max 40W




NEWPORT
glass, fabric, chrome plated steel

8156
6xE14, max 40W




TESALLI 4653




TESALLI
chrome plated steel, glass

4651
1xG9, max 40W




TESALLI
chrome plated steel, glass

4652
3xG9, max 40W



TESALLI
chrome plated steel, glass

4650
1xG9, max 40W




TESALLI
chrome plated steel, glass


4653
6xG9, max 40W

BOSTON 8152




HAMPTON 8155






BOSTON
chrome plated steel, glass

8153
1xE14, max 40W




BOSTON
chrome plated steel, glass

8152
4xE14, max 40W



HAMPTON
chrome plated steel, glass

8154
6xE14, max 40W




HAMPTON
chrome plated steel, glass

8155
2xE14, max 40W



CRISTAL M 7616



CRISTAL M


crystal, painted steel

7628 7627

9xE14, max 60W



CRISTAL 7633




CRISTAL

crystal, painted steel

7632 7633

2xE14, max 60W



CRISTAL M

crystal, painted steel


7617 7616

9xE14, max 40W



CRISTAL L 7631

CRISTAL 7632




CRISTAL L

crystal, painted steel

7631 7630

12xE14, max 60W



CRISTAL L

crystal, painted steel

7615 7614

12xE14, max 40W


KATERINA 5210



KATERINA 5211



KATERINA 5208



KATERINA
plastic ABS, glass


5208 5210 5211

1xE27, max 60W

TOSCANA 4013




MODENA 4014



MODENA
fabric, acrylic cristals

4014


1xE27, max 60W



TOSCANA
fabric, acrylic cristals


4013

1xE27, max 60W




LAGUNA
velvet, plastic, painted steel

8954
3xE27, max 25W only LED




LAGUNA
velvet, plastic, painted steel

8957
4xE27, max 25W only LED




LAGUNA
velvet, plastic, painted steel

8962
9xE27, max 25W only LED




LAGUNA
velvet, plastic, painted steel

8951
3xE27, max 25W only LED




LAGUNA
velvet, plastic, painted steel

8954
3xE27, max 25W only LED




LAGUNA
velvet, plastic, painted steel

8957
4xE27, max 25W only LED



LAGUNA
velvet, plastic, painted steel

8962
9xE27, max 25W only LED



LAGUNA
velvet, plastic, painted steel


8951
3xE27, max 25W only LED



TURDA 8946




TURDA 8947



TURDA
fabric, plastic, painted steel

■ 8946


● 3xE27, max 25W only LED



TURDA
fabric, plastic, painted steel

■ 8947


● 3xE27, max 25W only LED



TURDA
fabric, plastic, painted steel

■ 8953

● 3xE27, max 25W only LED



TURDA
fabric, plastic, painted steel

■ 8960

● 7xE27, max 25W only LED

■ GRAY T024

■ WHITE P004 RAL 9003



TURDA 8947



TURDA 8952




TURDA 8958



TURDA 8955




TURDA 8802




TURDA
fabric, plastic, painted steel

8945
3xE27, max 25W only LED




TURDA
fabric, plastic, painted steel

8952
3xE27, max 25W only LED




TURDA
fabric, plastic, painted steel

8958
7xE27, max 25W only LED




TURDA
fabric, plastic, painted steel

8950
3xE27, max 25W only LED



TURDA
fabric, plastic, painted steel

8955
4xE27, max 25W only LED



TURDA
fabric, plastic, painted steel

8802
7xE27, max 25W only LED




CROCO 8948



CROCO 8956




CROCO 8961



CROCO
velvet, plastic, painted steel

■ 8948


☐ 3xE27, max 25W only LED



CROCO
velvet, plastic, painted steel

■ 8956

☐ 4xE27, max 25W only LED



CROCO
velvet, plastic, painted steel

■ 8961


☐ 9xE27, max 25W only LED



BARREL L 8444



BARREL L 8445



BARREL L

velvet, painted steel

- 8444
- 8445
- 8446

• 1xE27, max 60W




CONE M 8442



CONE L 8437



CONE L 8440




CONE M

velvet, painted steel

- 8441
- 8443
- 8442

• 1xE27, max 60W



CONE L

velvet, painted steel

- 8437
- 8440
- 8438

• 1xE27, max 60W




MIST 8944



MIST 8943




MIST 8942




MIST
fabric, plastic, painted steel

8944
3xE27, max 25W only LED



MIST
fabric, plastic, painted steel

8944
7xE27, max 25W only LED




MIST
fabric, plastic, painted steel

8942
3xE27, max 25W only LED



FORM L 9672




FORM L
fabric, painted steel

9672
4xE27, max 25W only LED



FORM M 9673



FORM M
fabric, painted steel

9673
2xE27, max 25W only LED



CAMERON 9606




CAMERON 9685



CAMERON 9682




CAMERON 9683



CAMERON
fabric, plastic, painted steel

9605


2xE27, max 25W only LED



CAMERON
fabric, plastic, painted steel

9685


1xE27, max 25W only LED



CAMERON
fabric, plastic, painted steel

9684


3xE27, max 25W only LED



CAMERON
fabric, plastic, painted steel

9606


4xE27, max 25W only LED



CAMERON
fabric, plastic, painted steel

9682


4xE27, max 25W only LED



CAMERON
fabric, plastic, painted steel

9683

3xE27, max 25W only LED



CAMERON
fabric, plastic, painted steel

9687

2xE27, max 25W only LED




VIVIANE 6772



VIVIANE 6773




VIVIANE 6390



VIVIANE
fabric, glass, chrome

6772 6773 6774

3xE27, max 60W



VIVIANE
fabric, glass, chrome

6391 6532 6390

3xE27, max 60W




VIOLET 7958



VIOLET 7960



VIOLET 7961



VIOLET
fabric, plastic, painted steel

7958 7960 7961



3xE27, max 25W only LED



FALCON 7950



HAWK 8843



FALCON

fabric, plastic, painted steel

7951 7948 7950

6xE27, max 25W only LED

HAWK

fabric, glass, painted steel

8843 6541

6xE27, max 60W




VIPER 6640

VIPER

fabric, painted steel

6640 6641

1xE27, max 60W




VIPER 6513

VIPER


fabric, painted steel, chrome

6512 6513


1xE14, max 40W




VIPER 6513




ALICE
fabric, painted steel
9084
1xE27, max 60W



ALICE
fabric, painted steel
9091
1xE27, max 60W




ALICE L
fabric, painted steel
4961
1xE27, max 60W




ALICE M
fabric, painted steel
4962
2xE27, max 60W


ALICE 9091




ALICE XS
fabric, painted steel
5663
1xE27, max 60W




ALICE M
fabric, painted steel
3458
1xE27, max 60W



ALICE L
fabric, painted steel
3466
1xE27, max 60W



ALICE L
painted steel, fabric
4963
1xE27, max 60W



ALICE L
painted steel, fabric
3464 3457
1xE27, max 60W



ALICE L 3466




ALICE XS 5663



ALICE M 6815




ALICE M 6817




ALICE XS
fabric, painted steel

- 6812 5723
- 1xE27, max 60W




ALICE L
painted steel, fabric

- 6818 5386
- 1xE27, max 60W




ALICE M
fabric, painted steel

- 6815 5383
- 1xE27, max 60W




ALICE L
fabric, painted steel

- 6816 5384
- 1xE27, max 60W




ALICE M
fabric, painted steel

- 6817
- 2xE27, max 60W



ALICE
fabric, painted steel

- 9083
- 1xE27, max 60W




ALICE
fabric, painted steel

- 9090
- 1xE27, max 60W



FLEX SHADE 9277



FLEX


flexible stem, painted steel

9274 9273

7xE27, max 60W



FLEX 9273




FLEX

flexible stem, painted steel

9772 9766

5xE27, max 60W




FLEX SHADE

fabric, flexible stem, painted steel

9277 9278

5xE27, max 60W




FLEX SHADE

fabric, flexible stem, painted steel

9764 9758

1xE27, max 60W




FLEX

flexible stem, painted steel

9765

6xE27, max 60W




FLEX

flexible stem, painted steel

9774 9768

1xE27, max 60W



RETTO
fabric, painted steel

6820


3xE27, max 60W



MOSS
fabric, plywood, painted steel

9736


3xE27, max 60W



MOSS
fabric, painted steel

9737

3xE27, max 60W




HOTEL
fabric, chrome plated steel

9298
1xE27, max 60W



HOTEL LED 9302




HOTEL LED
fabric, chrome plated steel

6800 9302
1xE27 max 60W, 1x2.2W LED



HOTEL 9218




HOTEL
fabric, chrome plated steel

4730 9218
1xE27, max 60W



HOTEL 9304



HOTEL
fabric, chrome plated steel

4731 9304
2xE27, max 60W



HOTEL 9301








HOTEL 9303



HOTEL PLUS 9073



HOTEL PLUS 9072



HOTEL
fabric, chrome plated steel

9303 8980

1xE14, max 60W

HOTEL
chrome plated steel, fabric

8982 9301

1xE27, max 60W

HOTEL
fabric, chrome plated steel

8981 9300

1xE27, max 60W

HOTEL PLUS
fabric, painted steel, flexible stem

9073 9071

1xE27 max 60W, 1xG9 max 20W only LED

HOTEL PLUS
fabric, painted steel, flexible stem

9074 9072

1xE27 max 60W, 1xG9 max 20W only LED



CHILLIN 8216



CHILLIN 8215



CHILLIN 8201



CHILLIN 8200



CHILLIN 8211



CHILLIN 8214




CHILLIN 8213



CHILLIN 8197



CHILLIN 8198



CHILLIN

fabric, painted steel, flexible stem

8216 8215

1xE27 max 40W, 1xG9 max 10W only LED

fabric, painted steel, solid brass, flexible stem


8213

1xE27 max 40W, 1xG9 max 10W only LED

velvet, painted steel, solid brass, flexible stem

8214

1xE27 max 40W, 1xG9 max 10W only LED



CHILLIN

fabric, painted steel

8201 8200 8197

1xE27, max 40W

fabric, brushed stainless steel

8211

1xE27, max 40W

velvet, painted steel

8198

1xE27, max 40W



BORDE 7985



BORDE 7985



BORDE 7987



BORDE 7986





BORDE 8044



BORDE 8046



BORDE 8045



BORDE

fabric, painted steel, flexible stem

- 7985 7987

1xE27 max 40W, 1xG9 max 10W only LED

fabric, solid brass, flexible stem

- 7986

1xE27 max 40W, 1xG9 max 10W only LED

BORDE

fabric

- 8044 8045 8046

1xE27, max 40W

VELERO 7984



VELERO 8043



FARO 7982




FARO 8041





PETIT A 8340


PETIT 8345



PETIT
 painted aluminum, painted steel

8345 8346

1xE27, max 40W



PETIT A
 fabric, painted steel

8333 8337 8343 8332

velvet, painted steel

8340 8344 8334




PETIT B
 fabric, painted steel

8338 8336 8342




PETIT C
 fabric, painted steel

8226 8335 8341



CADILAC
 fabric, painted steel, plastic
 ■ 7988 ■ 7990 ■ 8190
 ● 3xE27, max 25W only LED



CADILAC
 fabric, painted steel
 ■ 7992 ■ 7991 ■ 8191
 ● 1xE27, max 40W




TRIFLE 7760



7758 7760 7761 8077



8078 8080 8076 8075





TRIFLE

fabric, painted aluminum

- 7758
- 7760
- 7761
- 8076
- 8077
- 8078
- 8080
- 8075

1xG9, max 10W only LED




ZELDA

fabric, painted steel

6010

1xE27, max 60W




ROCKET

fabric, plywood

8490 8448

1xE27, max 40W



ACROSS

plywood, fabric, braided cable

6927

1xE27, max 60W



SUNSET B 7655



SUNSET A 7653




SUNSET C 7654





SUNRISE LED 7652



SUNRISE LED
plywood, painted steel


7652



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
7652	12W LED	3000K	520 lm	150°	80	220-230 V, 50/60 Hz	⊕	IP20	50000h

DARK WOOD


BLACK P013 RAL 9005



SUNSET C
plywood, painted steel

7654


2xGX53, max 8W



SUNSET B
plywood, painted steel

7655

2xGX53, max 8W



SUNSET A
plywood, painted steel

7653


2xGX53, max 8W

DARK WOOD

BLACK P013 RAL 9005




SUN LED 7651



SUN LED
plywood, painted steel

7651



SUNSET
plywood, painted steel

7647

2xGX53, max 8W


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
7651	15W LED	3000K	610 lm	150°	80	220-230 V, 50/60 Hz	⊕	IP20	50000h

DARK WOOD
 BLACK P013 RAL 9005
 GOLD



WHEEL 9028

WHEEL 9033




WHEEL

plywood, painted steel

9028 9033

1xE27, max 40W




WHEEL LUX

plywood, painted steel

8427 8428

2xG9, max 20W




WHEEL LUX

plywood, painted steel

8430

1xG9, max 20W




WHEEL

plywood, painted steel

9032

1xG9, max 20W



WHEEL LUX


plywood, plywood, steel

7646

2xGX53, max 8W




MINIMAL 9375



MINIMAL
wood, painted steel, solid brass

- 9375
- 2xE27, max 40W




MINIMAL
wood, painted steel

- 9377
- 1xG9, max 10W




DISK 7644




DISK
painted steel, plywood

- 7643
- 2xGX53, max 8W



DISK
painted steel, plywood

- 7644
- 3xGX53, max 8W




DISK
painted steel, plywood

- 7645
- 1xGX53, max 8W




OSLO LED 7522




OSLO 30
wood, painted steel

9700
1xE14, max 40W




OSLO LED 60
wood, painted steel

7521 7517
1xLED TUBE T8, max 11W, included



OSLO LED 90
wood, painted steel


7518
1xLED TUBE T8, max 16W, included



OSLO LED 90
wood, painted steel

7522 7520
1xLED TUBE T8, max 16W, included

Name	Size	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	LED driver	Lifetime	Material
LED TUBE T8	60 cm	11W LED	3000K	1700 lm	120 °	≥80	220-230 V, 50/60 Hz	>0,5	INCL	30000h	CLEAR GLASS
LED TUBE T8	90 cm	16W LED	3000K	2300 lm	120 °	≥80	220-230 V, 50/60 Hz	>0,5	INCL	30000h	CLEAR GLASS




AWINION

fabric, plywood, painted steel

■ 9718

☐ ☐ 1xE27, max 40W




COBA ANTIQUE

plywood, painted steel

■ 9042

☐ ☐ 1xE27, max 60W




AWINION

fabric, plywood, painted steel

■ 9717

☐ ☐ ☐ 3xE27, max 40W




COBA ANTIQUE

plywood, painted steel

■ 9043

☐ ☐ ☐ 3xE27, max 60W




AWINION

fabric, plywood, painted steel

■ 9716

☐ ☐ ☐ ☐ 4xE27, max 40W



COBA ANTIQUE

plywood, painted steel

■ 9044


☐ ☐ ☐ ☐ 4xE27, max 60W






IKA C
plywood, painted steel

4173
1xE27, max 60W




IKA A
plywood, painted steel

4171
1xE27, max 60W



IKA D
plywood, painted steel

4174
1xE27, max 60W




BIO
plywood
6333
1xGU10, max 35W
plywood
9847
1xE27, max 40W



DOVER 9263



DOVER 9260




DOVER

plywood, braided cable, painted steel

■ 9264

🔌 1xGU10, max 35W




DOVER

plywood, braided cable, painted steel

■ 9263

🔌 2xGU10, max 35W




DOVER

plywood, painted steel

■ 9261 ■ 9266

🔌 1xGU10, max 35W



DOVER

plywood, painted steel

■ 9260

🔌 2xGU10, max 35W



ORBIT 7804



ORBIT 7805



ORBIT 7806




ORBIT 7946





ORBIT 7806



ORBIT


painting steel

7803 7806

1xGX53, max 8W



ORBIT 7805



ORBIT


painting steel

7802 7805

1xGX53, max 8W



ORBIT 7804



ORBIT

painting steel

7801 7804


2xGX53, max 8W

ORBIT


painting steel

7938 7943

2xGX53, max 8W



ORBIT 7946




ORBIT

painting steel

7941 7945

4xGX53, max 8W



ORBIT


painting steel

7942 7946

6xGX53, max 8W



PILLS 8265




PILLS
painted aluminum, painted steel

8271 8265

1xGX53, max 8W

PILLS 8263




PILLS
painted aluminum, painted steel

8268 8263

3xGX53, max 8W



PILLS 8266




PILLS
painted aluminum, painted steel

8272 8266


1xGX53, max 8W



PILLS 8262



PILLS 8264



PILLS
painted aluminum, painted steel


8270 8264

2xGX53, max 8W

PILLS
painted aluminum, painted steel


8267 8262

5xGX53, max 8W




RADIUS
painted steel

■ 7930
● 1xE27, max 60W



RADIUS
painted steel

■ 7762
● 1xE27, max 60W




RADIUS
painted steel

■ 7928
● 1xE27, max 60W




RADIUS 7932



RADIUS
painted steel

■ 7931
● 4xE27, max 60W



RADIUS
painted steel

■ 7932
● 6xE27, max 60W



ROTOR 7937

ROTOR 7933




ROTOR 7934



ROTOR 7936




ROTOR 7935



ROTOR
painted steel

7934


2xE27, max 60W



ROTOR
painted steel

7936


4xE27, max 60W



ROTOR
painted steel

7933


2xE27, max 60W



ROTOR
painted steel

7935


4xE27, max 60W



ROTOR
painted steel

7937

6xE27, max 60W






STICKS 9076

STICKS

painting steel

9076 6270

5xE27, max 60W



STICKS

painting steel

6268

3xE27, max 60W

STICKS

painting steel

9077 6267

2xE27, max 60W

STICKS

painting steel

9735


5xE27, max 60W




STICKS 6270



AXIS 9294




AXIS 9297



AXIS
painted steel

9294


1xE27, max 60W



AXIS
painted steel

9296

6xE27, max 60W




AXIS
painted steel

9297

6xE27, max 60W




ROD 9130



ROD
painted steel

9027 9733

15xE27, max 60W



ROD
painted steel

9130 9734

9xE27, max 60W

GOLD P017


BLACK P013 RAL 9005



ROD 9733



PILE 9127




PILE

■ painted steel, steel

■ 9127

● 5xE27, max 60W



PILE


■ painted steel, steel

■ 9128

● 3xE27, max 60W



MILL 9135



MILL


■ painted steel, brass-plated steel

■ 9135

● 8xE27, max 60W



MILL 9136






MILL

■ painted steel, brass-plated steel

■ 9136

● 3xE27, max 60W

MANUFACTURE 9740



MANUFACTURE
painted steel, copper-clad steel


- 9742
- 1xE27, max 60W

MANUFACTURE
painted steel, copper-clad steel

- 9741
- 1xE27, max 60W

MANUFACTURE
painted steel, copper-clad steel

- 9740
- 3xE27, max 60W



MANUFACTURE
painted steel, copper-clad steel


- 9738
- 5xE27, max 60W

MANUFACTURE 9742





WORKSHOP A 6337



WORKSHOP A

■ painted steel, copper-clad steel


■ 6337

● 1xE27, max 60W

WORKSHOP B 6336



WORKSHOP C 6335




WORKSHOP B

■ painted steel, copper-clad steel

■ 6336

● 1xE27, max 60W




WORKSHOP

■ painted steel, copper-clad steel

■ 6606

● 1xE27, max 60W




WORKSHOP

■ painted steel, copper-clad steel

■ 6605

● 1xE27, max 60W




WORKSHOP C

■ painted steel, copper-clad steel

■ 6335

● 1xE27, max 60W




WORKSHOP

■ painted steel, copper-clad steel

■ 9631

● 6xE27, max 60W




FIORD
painted steel

- 9670
- 1xE27, max 60W




FIORD 9666




FIORD
painted steel

- 9668
- 1xE27, max 60W



FIORD
painted steel

- 9666
- 3xE27, max 60W




FIORD
painted steel

- 9665
- 5xE27, max 60W




TWIG 9138




TWIG
painted steel

- 9141
- 2xE27, max 60W



TWIG
painted steel

- 9138
- 6xE27, max 60W




TWIG
painted steel

- 9140
- 4xE27, max 60W



SPIDER 6785

X+Y=max 300 cm




SPIDER
braided cable, painted steel

9745 6792

1xE27, max 60W

X+Y=max 300 cm




SPIDER
braided cable, painted steel

9744 6788

5xE27, max 60W

X+Y=max 300 cm



SPIDER
braided cable, painted steel


9743 6785

7xE27, max 60W

WHITE P004 RAL 9003 BLACK P013 RAL 9005

SPIDER 6788






CABLE

braided cable, painted steel, brass-plated steel

9747

1xE27, max 60W



CABLE

braided cable, painted steel, brass-plated steel

9746

7xE27, max 60W



TULUM 9691



TULUM

concrete, painted steel

9691

1xE27, max 60W



SILICONE 6404



SILICONE

silicone, painted steel

6404 6403

1xE27, max 60W




SILICONE 6403



GEOMETRIC 9695



SHY 9391



SHY

concrete, painted steel


9391

1xGU10, max 35W



LAVA 6855

VOLCANO S 6853




VOLCANO S

concrete, painted steel, chrome

6853

1xGU10, max 35W




GEOMETRIC

concrete, painted steel

9695

3xGU10, max 35W




GEOMETRIC

concrete, painted steel

9696

1xGU10, max 35W




VOLCANO L

concrete, painted steel, chrome

6852

1xE27, max 60W




LAVA

concrete, painted steel, chrome

6855


1xE27, max 60W



GIPSY L
gypsum, glass

2208


2xE27, max 60W



GIPSY L
gypsum, glass

2411


2xE27, max 60W



GIPSY M
gypsum, glass

2207


2xE27, max 60W



GIPSY S
gypsum, glass

2410

1xE27, max 60W




GIPSY S
gypsum, glass

2206

1xE27, max 60W




SOLID 9721



SOLID
concrete, glass

9721

2xE27, max 60W




SHY M

concrete

9393

1xGU10 ES111, max 75W




SHY S

concrete

9390

1xGU10, max 35W




BOLD S

concrete

9388

1xGU10, max 35W




BOLD M

concrete


9392

1xGU10 ES111, max 75W




CRATE
painted steel

■ 9046
● 1xE27, max 60W



CRATE
painted steel

■ 9045
● 1xE27, max 60W



CRATE
painted steel


■ 9047
● 5xE27, max 60W



CRATE 9047



PLANT 9381



PLANT

■ painted steel, steel

■ 9382 ■ 9381

● 4xGU10, max 35W

■ BLACK P013 RAL 9005 ■ WHITE P004 RAL 9003



EYE TONE 8931


HERMANOS 8100

HERMANOS 8103

HERMANOS 8194



HERMANOS 8037



HERMANOS

painting steel, solid brass

8037 8194


1xGU10, max 10W only LED

HERMANOS

painting steel, solid brass

8031 8030


3xGU10, max 10W only LED



HERMANOS 8031



HERMANOS 8038



HERMANOS


painting steel, solid brass

8038 8100

1xGU10, max 10W only LED



HERMANOS 8032



HERMANOS


painting steel, solid brass

8033 8032

5xGU10, max 10W only LED



HERMANOS 8040



HERMANOS

painting steel, solid brass

8040 8103



1xGU10, max 10W only LED



ZENITH L 8005

ZENITH M 8003

ZENITH S 7997



ZENITH L
painted steel, solid brass

- 8005
- 8006
- 8007

1xGU10, max 35W

ZENITH M
painted steel, solid brass

- 8001
- 8002
- 8003

1xGU10, max 35W

ZENITH S
painted steel, solid brass

- 7996
- 7997
- 7998

1xGU10, max 35W


- BLACK P013 RAL 9005
- WHITE P004 RAL 9003
- GREEN P024
- BRASS



ZENITH M 8001




PERM 9146



PERM
painted steel

9148


1xE27, max 60W



PERM
painted steel

9147

2xE27, max 60W



PERM
painted steel

9146

3xE27, max 60W



PERM 9148

BLACK P013 RAL 9005

COPPER P016







TECHNO 9145

TECHNO 9144



TECHNO 9142



TECHNO
painted steel

- ▣ 9145
- 💡 1xE27, max 60W

TECHNO
painted steel

- ▣ 9144
- 💡 1xE27, max 60W

TECHNO
painted steel





- ▣ 9143
- 💡 2xE27, max 60W

TECHNO
painted steel

- ▣ 9142
- 💡 3xE27, max 60W



PANTOGRAPH 9126




PANTOGRAPH
painted steel

9126

1xE27, max 60W




CRAFT 9151



CRAFT
painted steel

9151

1xE27, max 60W




CRAFT
painted steel

9150

3xE27, max 60W



HARMONY 9890




HARMONY
 painted steel, chrome

6868 9890

1xE27, max 60W



HIGH-BAY 5067



HIGH-BAY
 painted steel

5067

1xE27, max 60W

GARRET 6444



GARRET 9247

GARRET 6442

GARRET 6444



34 cm

36 cm

GARRET
painted steel

9247

1xE27, max 60W

44 cm




25 cm

GARRET
painted steel

6442

1xE27, max 60W



50 cm

15 cm

116 cm

GARRET M
painted steel

6444

1xE27, max 60W



34 cm

11 cm

123 cm

GARRET S
painted steel

6443


1xE27, max 60W

CHOCOLATE P019

COPPER P020




HEMISPHERE RUST L 6368



HEMISPHERE RUST S
painted steel

■ 6367

● 1xE27, max 60W



HEMISPHERE RUST L
painted steel

■ 6368

● 1xE27, max 60W




HEMISPHERE RUST L 6368

WORKS 6510



WORKS 6613



WORKS

painting steel


6612 6613 6510

1xE27, max 60W

HEMISPHERE HIT S 6777



HEMISPHERE HIT L 6778




HEMISPHERE HIT S

painting steel

6777

1xE27, max 60W



HEMISPHERE HIT L

painting steel


6778

1xE27, max 60W



HEMISPHERE L 4843

HEMISPHERE L 4844




HEMISPHERE S
painted steel, plastic

- 4838
- 4840
- 4893

1xE27, max 60W



HEMISPHERE S 4893



HEMISPHERE L
painted steel, plastic


- 4843
- 4844
- 4842

1xE27, max 60W



HEMISPHERE S 4841


HEMISPHERE L 4856



HEMISPHERE S
painted steel, plastic

- 4841

1xE27, max 60W



HEMISPHERE L
painted steel, plastic

- 4856


1xE27, max 60W



EGG L 9024




EGG L 9023




EGG M
composite, painted steel
9022 9021
1xE27, max 40W



EGG XL 9026



EGG L
composite, painted steel, steel
9024 9023
5xE27, max 40W




EGG XL
composite, painted steel, steel
9026 9025
7xE27, max 40W



CANOE 7926

CANOE 7927



CANOE

composite, painted steel, steel

7926 7927

5xE27, max 40W




CANOE 7926

LUKSOR L 8850





LUKSOR L 8847



LUKSOR L

■ painted steel

■ 8847

● 1xE27, max 60W

■ brass-plated steel, painted steel

■ 8850

● 1xE27, max 60W



WAVE S

■ painted steel

■ 8860

■ 8858

● 1xE27, max 60W

■ brass-plated steel, painted steel

■ 8861

● 1xE27, max 60W




WAVE S 8860



WAVE S 8861



LUKSOR S 8851



LUKSOR S

■ painted steel


■ 8851

● 1xE27, max 60W

■ brass-plated steel, painted steel

■ 8853

● 1xE27, max 60W



WAVE L

■ painted steel

■ 8856

● 1xE27, max 60W

■ brass-plated steel, painted steel

■ 8857

● 1xE27, max 60W



WAVE L 8856




ABI M 8866



ABI S 8870




ABI L 8864



PICO 8862




PICO 8863




ABI M
painted steel, fabric

■ 8866
● 1xE27, max 40W




ABI S
painted steel, fabric

■ 8870
● 1xE27, max 40W




ABI L
painted steel, fabric

■ 8864 ■ 8865
● 1xE27, max 40W



PICO
painted steel, brass-plated steel

■ 8862
● 1xGU10, max 35W




PICO
painted steel, brass-plated steel

■ 8863
● 3xGU10, max 35W



GSTAR 7795



GSTAR

■ painted steel

■ 7795

● 1xGU10, max 10W only LED


■ brass-plated steel, painted steel

■ 8854

● 1xGU10, max 10W only LED



GSTAR 8285



GSTAR

■ painted steel

■ 7796

● 1xGU10, max 10W only LED


■ brass-plated steel, painted steel

■ 8285

● 1xGU10, max 10W only LED



BULLET 9061



BULLET


■ painted steel

■ 9061

● 3xE27, max 60W



UMBRELLA 8873



UMBRELLA

■ painted steel

■ 8873

● 1xE27, max 60W

■ brass-plated steel, painted steel

■ 8874

● 1xE27, max 60W


NESS

■ painted steel

■ 6767

■ 6768

● 1xE27, max 60W



NESS 6767



KAREN 4607



KAREN

■ painted steel, fabric

■ 4607


● 1xE27, max 40W

CAGE

■ painted steel

■ 6844

● 1xGU10, max 35W



CAGE 6844



CAMILLA 4610



CAMILLA

■ painted steel, fabric

■ 4611

■ 4610


● 1xE27, max 40W

ALLAN

■ painted steel

■ 6941

● 1xGU10, max 35W



ALLAN 6941





MERSEY 5296



MERSEY
painted steel, glass

5295 5296

1xE27, max 60W



MEKNES 5297



MEKNES
painted steel

5297 5298

1xE27, max 60W



AVEIRO S 5410



AVEIRO S
painted steel, fabric

5410 5411

1xE27, max 40W




AVEIRO L 5126



AVEIRO L
painted steel, fabric

5125 5126

1xE27, max 40W




MARGARET

■ painted steel

■ 6330

● 5xE14, max 60W




ARES

■ painted steel

■ 203

● 2xE14, max 60W




ARES

■ painted steel

■ 202

● 1xE14, max 60W




ARES

■ painted steel

■ 204

● 3xE14, max 60W




ARES

■ painted steel

■ 205

● 5xE14, max 60W



ARES


■ painted steel

■ 206

● 10xE14, max 60W



TWIST 4985



TWIST


painting steel

■ 4981 ■ 2763

● 2xE14, max 60W



TWIST 2763




TWIST

painting steel

■ 4985 ■ 2767

● 10xE14, max 60W




TWIST

painting steel

■ 4983 ■ 2764

● 3xE14, max 60W



TWIST




painting steel

■ 4984 ■ 2766

● 5xE14, max 60W

REMBRANT LED L 8167





REMBRANT LED M

brass plated steel



8166



REMBRANT LED L

brass plated steel

8167



GIOTTO LED S

brass plated steel

8168



GIOTTO LED M


brass plated steel

8170



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8166	9W LED	3000K	600 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP20	30000h
8167	13W LED	3000K	900 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP20	30000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8168	9W LED	3000K	600 lm	120°	≥80	~220-230V V, 50/60Hz Hz	⊕	>0,5	IP20	30000h
8170	13W LED	3000K	900 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP20	30000h




IMPULSE LED M
 painted aluminum, plastic PC

■ 8116




IMPULSE LED S 8115



IMPULSE LED L
 painted aluminum, plastic PC

■ 8117



IMPULSE LED S
 painted aluminum, plastic PC

■ 8115



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8115	6W LED	3000K	200 lm	120°	≥80	~220-230 V, 50/60 Hz	□	>0,5	IP23	30000h
8116	10W LED	3000K	350 lm	120°	≥80	~220-230 V, 50/60 Hz	□	>0,5	IP23	30000h
8117	15W LED	3000K	500 lm	120°	≥80	~220-230 V, 50/60 Hz	□	>0,5	IP23	30000h



STRAIGHT CEILING LED L 7551



STRAIGHT CEILING LED M 7558



STRAIGHT CEILING LED S 7597




STRAIGHT CEILING LED L

painted steel, plastic PMMA

■ 7551 ■ 7556 ■ 7600

☐ 1xLED TUBE T8, max 22W, included



STRAIGHT CEILING LED M

painted steel, plastic PMMA

■ 7553 ■ 7558 ■ 7598

☐ 1xLED TUBE T8, max 16W, included



STRAIGHT CEILING LED S

painted steel, plastic PMMA

■ 7552 ■ 7557 ■ 7597

☐ 1xLED TUBE T8, max 11W, included

Name	Size	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime	Material
LED TUBE T8	60 cm	11W LED	3000K	1700 lm	120°	≥80	220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS
LED TUBE T8	90 cm	16W LED	3000K	2300 lm	120°	≥80	220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS
LED TUBE T8	120 cm	22W LED	3000K	3200 lm	120°	≥80	220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS

■ GRAPHITE P010 RAL 7016 ■ WHITE P004 RAL 9003 ■ BLACK P013 RAL 9005

STRAIGHT CEILING LED M 7558







STRAIGHT WALL LED L 7566

STRAIGHT WALL LED M 7561

STRAIGHT WALL LED S 7565

STRAIGHT WALL LED XS 7601



STRAIGHT WALL XS

Painted steel, plastic PMMA

- 6345 6354
- 6350 7601



1xE14, max 40W

STRAIGHT WALL LED S

Painted steel, plastic PMMA

- 7568 7565
- 7562 7596

1xLED TUBE T8, max 11W, included



STRAIGHT WALL LED M

Painted steel, plastic PMMA

- 7567 7564
- 7561 7594

1xLED TUBE T8, max 16W, included

STRAIGHT WALL LED L

Painted steel, plastic PMMA

- 7566 7563
- 7560 7595


1xLED TUBE T8, max 22W, included

Name	Size	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime	Material
LED TUBE T8	60 cm	11W LED	3000K	1700 lm	120°	≥80	220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS
LED TUBE T8	90 cm	16W LED	3000K	2300 lm	120°	≥80	220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS
LED TUBE T8	120 cm	22W LED	3000K	3200 lm	120°	≥80	220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS

WHITE P004 RAL 9003 SILVER P006 RAL 9006 GRAPHITE P010 RAL 7016 BLACK P013 RAL 9005



H LED 8910



H LED

Painted aluminum, plastic PC, painted steel

- 8908 8910

Item No.	Power	Colour temp.	Luminous flux	Luminaire efficiency	Colour Rendering Index (CRI)	Input	Lifetime
8908 8910	36W LED	3000K	2300 lm	75	≥ 80	~220-230 V, 50/60 Hz	50000h


WHITE P004 RAL 9003 WHITE-BLACK



SOFT LED 90X6 7547



SOFT LED 90X20 7532



SOFT LED 90X20


Painted aluminum, plastic PMMA

7545 7532

2xLED TUBE T8, max 16W, included



SOFT LED 90X6 7547



SOFT LED 90X6


Painted aluminum, plastic PMMA

7547 7535

1xLED TUBE T8, max 16W, included



SOFT LED 120X6 7525




SOFT LED 120X6

Painted aluminum, plastic PMMA

7537 7525

1xLED TUBE T8, max 22W, included

SOFT CEILING LED 60X6 7540




SOFT CEILING LED 60X6

painting aluminum, plastic PMMA

7540 7527

1xLED TUBE T8, max 11W, included

SOFT CEILING LED 60X20 7526



SOFT CEILING LED 60X20

painting aluminum, plastic PMMA

7538 7526

2xLED TUBE T8, max 11W, included

SOFT WALL LED 60X6 7541




SOFT WALL LED 60X6

painting aluminum, plastic PMMA

7541 7528

1xLED TUBE T8, max 11W, included

SOFT CEILING LED 90X6 7533



SOFT CEILING LED 90X6

painting aluminum, plastic PMMA

7546 7533

1xLED TUBE T8, max 16W, included

SOFT CEILING LED 90X20 7542




SOFT CEILING LED 90X20

painting aluminum, plastic PMMA

7542 7531

2xLED TUBE T8, max 16W, included

SOFT WALL LED 90X6 7534



SOFT WALL LED 90X6

painting aluminum, plastic PMMA

7548 7534

1xLED TUBE T8, max 16W, included

SOFT CEILING LED 120X6 7536




SOFT CEILING LED 120X6

painting aluminum, plastic PMMA

7536 7524

1xLED TUBE T8, max 22W, included

SOFT CEILING LED 60X60 7530



SOFT CEILING LED 60X60

painting aluminum, plastic PMMA


7544 7530

5xLED TUBE T8, max 11W, included

Name	Size	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime	Material
LED TUBE T8	60 cm	11W LED	3000K	1700 lm	120 °	≥80	220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS
LED TUBE T8	90 cm	16W LED	3000K	2300 lm	120 °	≥80	220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS
LED TUBE T8	120 cm	22W LED	3000K	3200 lm	120 °	≥80	220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS



WING LED 7543



WING LED


painted steel

7543 7550

1xLED TUBE T8, max 11W, included

Name	Size	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	LED driver	Lifetime	Material
LED TUBE T8	60 cm	11W LED	3000K	1700 lm	120°	≥80	220-230 V, 50/60 Hz	>0,5	INCL	30000h	CLEAR GLASS


WHITE P004 RAL 9003 BLACK P013 RAL 9005



ION LED M

glass, chrome plated steel

8171



ION LED L

glass, chrome plated steel


8172

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8171	12W LED	3000K	870 lm	130°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP20	30000h
8172	18W LED	3000K	1300 lm	130°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP20	30000h

CHROME



CUBE 5272




TUBE

painting aluminum

-
 9317
 9318
 9320

2xGU10 ES111, max 75W



CUBE

painting steel, glass


-
 5266
 5272

1xG9, max 35W

brushed stainless steel, glass

-
 5267


1xG9, max 35W



LIA LED

painting aluminum

-
 6913




GESS LED

painting aluminum

-
 6912

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
6913	7W LED	3000K	460 lm	89 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	10000h
6912	7W LED	3000K	450 lm	47 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	10000h




BERGEN 9706

HAGA 9710

MALMO 9704

NARWIK 9703




BERGEN

painting steel

- 9706
- 9707

2xGU10, max 35W




HAGA

painting steel

- 9708
- 9710

2xG9, max 40W




MALMO

painting steel

- 9704
- 9705

2xGU10, max 35W




NARWIK

painting steel

- 9702
- 9703

2xGU10, max 35W




RING LED M 7638



RING LED S 7634




RING LED S 7637




RING LED S
painted steel

■ 7634 ■ 7637



RING LED M
painted steel

■ 7635 ■ 7638



RING LED L
painted steel


■ 7636 ■ 7640



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
7634	7W LED	3000K	235 lm	150°	>80	220-230 V, 50/60 Hz	⊕	IP20	50000h
7637	7W LED	3000K	265 lm	150°	>80	220-230 V, 50/60 Hz	⊕	IP20	50000h
7635	9W LED	3000K	400 lm	150°	>80	220-230 V, 50/60 Hz	⊕	IP20	50000h
7638	9W LED	3000K	520 lm	150°	>80	220-230 V, 50/60 Hz	⊕	IP20	50000h
7636	12W LED	3000K	640 lm	150°	>80	220-230 V, 50/60 Hz	⊕	IP20	50000h
7640	12W LED	3000K	780 lm	150°	>80	220-230 V, 50/60 Hz	⊕	IP20	50000h




ORGANIC 8303



ORGANIC
painted steel

8304 ■ 8302

3xGX53, max 12W



ORGANIC
painted steel

8305 ■ 8303

1xGX53, max 12W

WHITE P004 RAL 9003 ■ BLACK P013 RAL 9005





KASAI 9491



KASAI 9490



KASAI 7952



KASAI

glass, chrome plated steel

■ 9490

☐ 2xE27, max 40W

glass, brushed stainless steel

■ 9491

☐ 2xE27, max 40W

glass, painted steel

■ 7952

☐ 2xE27, max 40W

KASAI SENSOR

glass, chrome plated steel

■ 8827

☐ 2xE27, max 40W

glass, brushed stainless steel

■ 8828


☐ 2xE27, max 40W



AGNES ROUND LED 8208




AGNES SQUARE LED 8108



AGNES ROUND LED

Painted steel, plastic PMMA


- 8207 3000K 8204 3000K
- 8186 4000K 8183 4000K



AGNES SQUARE LED

Painted steel, plastic PMMA


- 8112 3000K 8108 3000K
- 8135 4000K 8138 4000K



AGNES ROUND LED

Painted steel, plastic PMMA


- 8208 3000K 8205 3000K
- 8187 4000K 8184 4000K



AGNES SQUARE LED

Painted steel, plastic PMMA


- 8113 3000K 8110 3000K
- 8134 4000K 8137 4000K



AGNES ROUND LED

Painted steel, plastic PMMA

- 8210 3000K 8206 3000K
- 8188 4000K 8185 4000K



AGNES SQUARE LED

Painted steel, plastic PMMA

- 8114 3000K 8111 3000K
- 8133 4000K 8136 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
8207	22W LED	3000K	1300 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8204	22W LED	3000K	1200 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8186	22W LED	4000K	1500 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8183	22W LED	4000K	1300 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8208	32W LED	3000K	2000 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8205	32W LED	3000K	1700 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8187	32W LED	4000K	2300 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8184	32W LED	4000K	1800 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8210	64W LED	3000K	4200 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8206	64W LED	3000K	2700 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8188	64W LED	4000K	4300 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8185	64W LED	4000K	3900 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
8112	16W LED	3000K	970 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8108	16W LED	3000K	830 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8135	16W LED	4000K	1000 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8138	16W LED	4000K	860 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8113	32W LED	3000K	2200 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8110	32W LED	3000K	1690 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8134	32W LED	4000K	2300 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8137	32W LED	4000K	1950 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8114	64W LED	3000K	4000 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8111	64W LED	3000K	3700 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8133	64W LED	4000K	4000 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8136	64W LED	4000K	3700 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h

WHITE BLACK

Can be used in the bathroom

Can be used in the bathroom


WHITE BLACK



- Indukcyjne ładowanie smartphona (5V 1A)
- Możliwość wyboru temperatury barwowej światła w przedziałach 3000K - 6000K
- Włącznik dotykowy z funkcją ściemniania
- Port USB umożliwiający ładowanie telefonu

- Wireless charger for smartphones (5V 1 A)
- Possibility to choose the colour temperature of light in the range from 3000K to 6000K
- Touch switch with dimming function
- USB port for charging mobile phones

- Индуктивная зарядка смартфона (5 В, 1 А)
- Возможность выбора температуры света в диапазоне 3000К - 6000К
- Сенсорный переключатель с функцией затемнения
- USB-вход для зарядки телефона.



STYLE LED

painting aluminum, plastic ABS

■ 8404



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8404	10W LED	CCT CHANGE 3000-6000K	390 lm	100°	≥ 80	50/60 V, ~220-230 Hz	□	>0,5	IP20	25000h


■ BLACK



STYLE LED 8404



- Możliwość wyboru temperatury barwowej światła w przedziałach 3000K - 6000K
 - Włącznik dotykowy z funkcją ściemniania
 - Port USB umożliwiające ładowanie telefonu
- Possibility to choose the colour temperature of light in the range from 3000K to 6000K
 - Touch switch with dimming function
 - USB port for charging mobile phones
- Возможность выбора температуры света в диапазоне 3000K - 6000K
 - Сенсорный переключатель с функцией затемнения
 - USB-вход для зарядки телефона




SMART LED

painted aluminum, plastic ABS

■ 8358



- Włącznik dotykowy z funkcją ściemniania
 - Temperatura barwowa światła 4000K
- Touch switch with dimming function
 - Colour temperature 4000K
- Сенсорный переключатель с функцией затемнения
 - Цветовая температура света 4000K



CHIC LED

painted aluminum, plastic ABS

■ 8357



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8358	8W LED	CCT CHANGE 3000-6000K	400 lm	120°	≥ 80	~220-230 V, 50/60 Hz	☐	>0,5	IP20	25000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8357	7,5W LED	4000K	400 lm	100°	≥ 80	~220-230 V, 50/60 Hz	☐	>0,5	IP20	25000h

■ BLACK ■ SILVER

■ BLACK ■ SILVER



FLEA 8203


POCATELLO 5828



POCATELLO 5828



POCATELLO 5794



POCATELLO


Painted steel, flexible stem, chrome plated steel

- 5794 5795 5796
- 5797 5798 5828

1xE27, max 18W



COSMO 4917



COSMO

brushed stainless steel, marble

3382

1xE27, max 60W

chrome plated steel, marble

4917


1xE27, max 60W



COSMO 3382



PUZZLE 9728





PUZZLE

plywood, plastic PA, painted steel

6384 9728

4xGU10, max 15W




PLANE

plywood, flexible stem, painted steel

6904

3xGU10, max 35W




PLANE

plywood, painted steel

6902

1xGU10, max 35W




PLANE

plywood, flexible stem, painted steel


6903

2xGU10, max 35W



MALWI
painted steel, braided cable

 6327

 7xE27, max 35W

MALWI 6327




MONO LONG M 7674

MONO 7712

MONO 7711



MONO 7807



MONO

painting steel, plastic ABS

7807 7838

7771 7763

1xGU10, max 10W only LED


solid brass, painting steel, plastic ABS

7778

1xGU10, max 10W only LED



MONO 7811



MONO

painting steel, plastic ABS

7811 7842

7775 7767

3xGU10, max 10W only LED


solid brass, painting steel, plastic ABS

7783

3xGU10, max 10W only LED



MONO 7810



MONO

painting steel, plastic ABS

7810 7841

7774 7766

2xGU10, max 10W only LED


solid brass, painting steel, plastic ABS

7782

2xGU10, max 10W only LED



MONO 7812



MONO

painting steel, plastic ABS

7812 7843

7776 7768

4xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7784

4xGU10, max 10W only LED

MONO 2X150 7698

MONO 7718



MONO

painting steel, plastic ABS

7813 7844

7777 7770


6xGU10, max 10W only LED

solid brass, painting steel, plastic ABS


7785

6xGU10, max 10W only LED

MONO 7770



MONO CORNER 2X150 7700



MONO 2X150

painting steel, plastic ABS

7750 7720

7694 7698


6xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7754

8xGU10, max 10W only LED

MONO 2X150 7698



MONO CORNER 2X150

painting steel, plastic ABS

7751 7721

7695 7700

8xGU10, max 10W only LED


solid brass, painting steel, plastic ABS

7755


8xGU10, max 10W only LED



MONO 2X200 7701



MONO CORNER 2X200 7702



MONO 2X200

painting steel, plastic ABS

7752 7722

7696 7701

8xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7756

8xGU10, max 10W only LED

MONO CORNER 2X200

painting steel, plastic ABS

7753 7723

7697 7702

8xGU10, max 10W only LED

solid brass, painting steel, plastic ABS


7757

8xGU10, max 10W only LED





MONO LONG S 7727



MONO LONG S

painting steel, plastic ABS


- 7724 7727
- 7670 7673

1xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

- 7731

1xGU10, max 10W only LED



MONO LONG M

painting steel, plastic ABS

- 7725 7728
- 7671 7674

1xGU10, max 10W only LED


solid brass, painting steel, plastic ABS

- 7732

1xGU10, max 10W only LED



MONO LONG 7730



MONO LONG

painting steel, plastic ABS

- 7726 7730
- 7672 7675

2xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

- 7733


2xGU10, max 10W only LED



MONO LONG M 7728



MONO 7764



MONO 7786

MONO

painted steel, plastic ABS

7787 7786


7773 7765

1xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

7781

1xGU10, max 10W only LED



MONO 7840

MONO

painted steel, plastic ABS

7808 7840

7772 7764

1xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

7780

1xGU10, max 10W only LED



MONO SURFACE 7683

MONO SURFACE

painting steel, plastic ABS

7827 7833

7683 7688


1xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7744

1xGU10, max 10W only LED

cut out \varnothing 35 mm



MONO SURFACE 7684

MONO SURFACE

painting steel, plastic ABS

7828 7834

7684 7690


2xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7745

2xGU10, max 10W only LED

cut out 160x31 mm





MONO SURFACE 7834

MONO SURFACE 7833







MONO SURFACE 7685



MONO SURFACE 7687



MONO SURFACE 7686



MONO SURFACE

painting steel, plastic ABS

7830 7835

7685 7691

3xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7746

3xGU10, max 10W only LED

cut out 690x31 mm

MONO SURFACE

painting steel, plastic ABS

7831 7836

7686 7692

4xGU10, max 10W only LED


solid brass, painting steel, plastic ABS

7747

4xGU10, max 10W only LED

cut out 1170x31 mm

MONO SURFACE 7687



MONO SURFACE

painting steel, plastic ABS

7832 7837

7687 7693




6xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7748

6xGU10, max 10W only LED

cut out 1990x31 mm



MONO SURFACE LONG S 7680

MONO SURFACE LONG S

painting steel, plastic ABS

7734 7737

7676 7680

1xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7741

1xGU10, max 10W only LED

cut out \varnothing 35 mm

MONO SURFACE LONG M

painting steel, plastic ABS

7735 7738

7677 7681



1xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7742

1xGU10, max 10W only LED

cut out \varnothing 35 mm



MONO SURFACE LONG

painting steel, plastic ABS

7736 7740

7678 7682

2xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7743

2xGU10, max 10W only LED


cut out 160x31 mm




MONO SURFACE LONG 7682

MONO SURFACE LONG M 7742





MONO 7712



MONO

painted steel, plastic ABS

7705 7708

7715 7718

2xGU10, max 10W only LED


solid brass, painted steel, plastic ABS

7712


2xGU10, max 10W only LED



MONO 7710



MONO 7711



MONO

painted steel, plastic ABS

7703 7706

7713 7716

1xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

7710

1xGU10, max 10W only LED

MONO

painted steel, plastic ABS

7704 7707

7714 7717

1xGU10, max 10W only LED

solid brass, painted steel, plastic ABS


7711

1xGU10, max 10W only LED

EYE SPOT 6018

EYE SPOT 6611





EYE SPOT 6018

EYE SPOT

painting steel, chrome

- 6014 6134
- 6138 6018

1xGU10, max 10W only LED


painting steel, solid brass

- 8816

1xGU10, max 10W only LED



EYE SPOT 8817



EYE SPOT

painting steel, chrome

- 6015 6135
- 6140 6020

2xGU10, max 10W only LED


painting steel, solid brass

- 8817

2xGU10, max 10W only LED



EYE SPOT 6611



EYE SPOT

painting steel, chrome

- 6607 6610
- 6608 6611

6xGU10, max 10W only LED


painting steel, solid brass

- 8819

6xGU10, max 10W only LED



EYE SPOT 6136



EYE SPOT

painting steel, chrome

- 6016 6136
- 6141 6021

3xGU10, max 10W only LED


painting steel, solid brass

- 8818

3xGU10, max 10W only LED



EYE SPOT 8820



EYE SPOT

painting steel, chrome

- 6017 6137
- 5844 6022

4xGU10, max 10W only LED

painting steel, solid brass

- 8820



4xGU10, max 10W only LED



EYE FIT 9400



EYE FIT 9395



EYE FIT

painted steel, chrome

9396 9400

1xGU10, max 10W only LED

cut out ø 60 mm

EYE FIT

painted steel, chrome

9395 9398

2xGU10, max 10W only LED


cut out 115x45 mm



IRIS LED 8994



IRIS LED 8994



IRIS LED

painted aluminum, plastic

8993 8994

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8993	7W LED	3000K	480 lm	30°	≥ 80	~220-230 V, 50/60 Hz	□	>0,5	IP20	30000h
8994	7W LED	3000K	430 lm	30°	≥ 80	~220-230 V, 50/60 Hz	□	>0,5	IP20	30000h



CROSS 9604



VESPA 9593



VESPA 8838




CROSS 9596



CROSS 9603



IRIS LED 9592




CROSS

■ painted steel, chrome

■ 9604 ■ 9603

● 5xGU10 ES111, max 75W




VESPA

■ painted steel, chrome

■ 9595 ■ 8842

● 6xGU10 ES111, max 75W




CROSS

■ painted steel, chrome

■ 9603 ■ 9598

● 1xGU10 ES111, max 75W




CROSS

■ painted steel, chrome

■ 9602 ■ 9597

● 2xGU10 ES111, max 75W




CROSS

■ painted steel, chrome

■ 9601 ■ 9596

● 3xGU10 ES111, max 75W




VESPA

■ painted steel, chrome

■ 9594 ■ 8838

● 1xGU10 ES111, max 75W




VESPA

■ painted steel, chrome

■ 9593 ■ 8840

● 2xGU10 ES111, max 75W




VESPA

■ painted steel, chrome

■ 9592 ■ 8841


● 3xGU10 ES111, max 75W



COBBLE
painted aluminum

7791 7790


1xGU10 ES111, max 75W



GROOVE
painted aluminum

7793 7792


1xGU10 ES111, max 75W



GAP
painted aluminum

9385 9384


2xGU10, max 35W



PAG
painted aluminum

9387 9386


2xGU10, max 35W



GROOVE
painted aluminum

9383 9316

2xGU10 ES111, max 75W




OVAL
painted aluminum

9241 9240

2xGU10 ES111, max 75W



HALO 8196



HALO
 painted steel, plastic ABS

8195 8196

1xGU10, max 10W only LED

WHITE P004 RAL 9003 BLACK P013 RAL 9005



FLEA 8202



POINT TONE 8222



INDIA 7858



MIKE 7660



FLEA 8203







POINT TONE 8225



INDIA 7860



MIKE 7658



FLEA

painting steel

8202 8203

1xGX53, max 12W

POINT TONE

painting steel, plastic ABS

8220 8221 8222

8225 8224 8223

1xGU10, max 10W only LED

INDIA

painting aluminum

7858 7860


1xGU10, max 15W

MIKE

painting aluminum

7660 7658

1xGU10, max 15W




SET

painting steel

8900 8895

1xGU10, max 10W only LED




EYE TONE

painting steel, plastic ABS

8932 8928

1xGU10, max 10W only LED




SET

painting steel, painting aluminum

8902 8897

1xGU10, max 10W only LED





EYE TONE

painting steel, plastic ABS

8931 8926

1xGU10, max 10W only LED




SET

painting steel

8901 8896

1xGU10, max 10W only LED



EYE TONE


painting steel, plastic ABS

8930 8925

1xGU10, max 10W only LED



EYE TONE 8087



EYE TONE

painted steel, plastic ABS


■ 8086 ■ 8087

■ 8088 ■ 7665

☑ 2xGU10, max 10W only LED



EYE TONE 8093



EYE TONE

painted steel, plastic ABS

■ 8091 ■ 8092

■ 8093 ■ 7666


☑ 3xGU10, max 10W only LED

■ BLACK P013 RAL 9005 ■ WHITE P004 RAL 9003 ■ GOLD P021




EYE TONE 7666



POINT PLEXI M 6526



POINT PLEXI L 6528




POINT S 7603



POINT S
painted steel

7603
1xGU10, max 35W



POINT M
painted steel

7602
1xGU10, max 35W

POINT PLEXI M

painted steel, plastic PMMA

6525 6527 6526

1xGU10, max 10W only LED



POINT PLEXI L

painted steel, plastic PMMA

6528 6530

1xE27, max 20W

POINT M 6001




POINT S
painted steel

6000
1xGU10, max 35W


POINT M
painted steel

6001
1xGU10, max 35W

BIT M 9481



BIT S 9486



BIT S

painted steel

9482 9486

1xGU10 ES111, max 75W



BIT M

painted steel

9481 9485


1xGU10 ES111, max 75W

POINT M 6007



POINT S
painted steel

6006
1xGU10, max 35W




POINT M
painted steel

6007
1xGU10, max 35W

DALE 7613




DALE 7612



DALE
plywood

7613

2xGU10 ES111, max 15W




DALE
plywood

7612

1xGU10 ES111, max 15W

DOWNLIGHT ES111 9575




DOWNLIGHT ES111
painted steel

9571 9575

1xGU10 ES111, max 15W

cut out 165x165 mm

DOWNLIGHT ES111 9570




DOWNLIGHT ES111
painted steel

9570 9574

2xGU10 ES111, max 15W

cut out 320x165 mm

BOX ES111 9495




BOX ES111
plywood, painted steel

9495 9497 7648

1xGU10 ES111, max 15W

BOX ES111 7650



BOX ES111
plywood, painted steel

9470 9472 7650



2xGU10 ES111, max 15W



MOD 9412



MOD 9412



MOD

■ painted steel

■ 9417 ■ 9413

☑ 1xGU10 ES111, max 75W

☑ cut out 120x120 mm

MOD

■ painted steel



■ 9416 ■ 9412

☑ 2xGU10 ES111, max 75W

☑ cut out 230x120 mm



MOD PLUS 9404



MOD PLUS

■ painted steel

■ 9404 ■ 9408

☑ 1xGU10 ES111, max 75W

☑ cut out 120x120 mm

MOD PLUS

■ painted steel


■ 9403 ■ 9407

☑ 2xGU10 ES111, max 75W

☑ cut out 230x120 mm



EYE MOD 8937



EYE MOD

painted steel


8936 8937

1xGU10, max 35W

cut out 95×90 mm



EYE MOD 8938



EYE MOD

painted steel


8938 8940

2xGU10, max 35W

cut out 175×90 mm



DOT 9378



DOT

painted steel


9378 8826

1xGU10, max 35W

cut out ø 110 mm



CL KOS LED 24W 8775




CL KOS LED 8W

plastic

8782 3000K 8781 4000K



cut out ø 100 mm




CL KOS LED 10W

plastic

8780 3000K 8778 4000K



cut out ø 125 mm




CL KOS LED 16W

plastic

8777 3000K 8776 4000K



cut out ø 150 mm



CL KOS LED 24W

plastic

8775 3000K 8774 4000K



cut out ø 200 mm

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Ingress protection	LED brand	Driver brand	Lifetime	Warranty
8782	8W LED	3000K	550 lm	100°	≥ 80	IP44	Sanan	Driver on board	50000h	5 years
8781	8W LED	4000K	680 lm	100°	≥ 80	IP44	Sanan	Driver on board	50000h	5 years
8780	10W LED	3000K	850 lm	100°	≥ 80	IP44	Sanan	Driver on board	50000h	5 years
8778	10W LED	4000K	880 lm	100°	≥ 80	IP44	Sanan	Driver on board	50000h	5 years
8777	16W LED	3000K	1450 lm	100°	≥ 80	IP44	Sanan	Driver on board	50000h	5 years
8776	16W LED	4000K	1450 lm	100°	≥ 80	IP44	Sanan	Driver on board	50000h	5 years
8775	24W LED	3000K	2200 lm	100°	≥ 80	IP44	Sanan	Driver on board	50000h	5 years
8774	24W LED	4000K	2200 lm	100°	≥ 80	IP44	Sanan	Driver on board	50000h	5 years

Can be used in the bathroom


WHITE

PROFILE IRIS LED 12W 9000





PROFILE IRIS LED 7W 8996



PROFILE IRIS LED 7W


Painted aluminum, plastic PC

8995 3000K 8996 3000K

8997 4000K 8998 4000K



PROFILE IRIS LED 20W 9005



PROFILE IRIS LED 20W


Painted aluminum, plastic PC

9004 3000K 9005 3000K

9006 4000K 9007 4000K



PROFILE IRIS LED 12W 9002



PROFILE IRIS LED 12W

Painted aluminum, plastic PC

9000 3000K 9001 3000K

9002 4000K 9003 4000K




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8995	7W LED	3000K	480 lm	30°	80	~220-230 V, 50/60 Hz	☐	>0,5	IP20	30000h
8996	7W LED	3000K	430 lm	30°	80	~220-230 V, 50/60 Hz	☐	>0,5	IP20	30000h
8997	7W LED	4000K	530 lm	30°	80	~220-230 V, 50/60 Hz	☐	>0,5	IP20	30000h
8998	7W LED	4000K	480 lm	30°	80	~220-230 V, 50/60 Hz	☐	>0,5	IP20	30000h
9000	12W LED	3000K	800 lm	30°	80	~220-230 V, 50/60 Hz	☐	>0,5	IP20	30000h
9001	12W LED	3000K	720 lm	30°	80	~220-230 V, 50/60 Hz	☐	>0,5	IP20	30000h
9002	12W LED	4000K	850 lm	30°	80	~220-230 V, 50/60 Hz	☐	>0,5	IP20	30000h
9003	12W LED	4000K	800 lm	30°	80	~220-230 V, 50/60 Hz	☐	>0,5	IP20	30000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9004	20W LED	3000K	1320 lm	30°	80	~220-230 V, 50/60 Hz	☐	>0,5	IP20	30000h
9005	20W LED	3000K	1230 lm	30°	80	~220-230 V, 50/60 Hz	☐	>0,5	IP20	30000h
9006	20W LED	4000K	1450 lm	30°	80	~220-230 V, 50/60 Hz	☐	>0,5	IP20	30000h
9007	20W LED	4000K	1320 lm	30°	80	~220-230 V, 50/60 Hz	☐	>0,5	IP20	30000h



PROFILE STORE PRO LED 7 W 8318




PROFILE STORE PRO LED 7W

Painted aluminum, plastic

- 8316 3000K 8318 3000K
- 8315 4000K 8317 4000K



PROFILE STORE PRO LED 18W 8326




PROFILE STORE PRO LED 18W

Painted aluminum, plastic

- 8325 3000K 8327 3000K
- 8324 4000K 8326 4000K



PROFILE STORE PRO LED 12W 8323



PROFILE STORE PRO LED 12W

Painted aluminum, plastic


- 8321 3000K 8323 3000K
- 8320 4000K 8322 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8315	7W LED	4000K	680 lm	24°	≥ 80	~220-230 V, 50/60 Hz	☐	>0,5	IP20	30000h
8316	7W LED	3000K	630 lm	24°	≥ 80	~220-230 V, 50/60 Hz	☐	>0,5	IP20	30000h
8317	7W LED	4000K	560 lm	24°	≥ 80	~220-230 V, 50/60 Hz	☐	>0,5	IP20	30000h
8318	7W LED	3000K	600 lm	24°	≥ 80	~220-230 V, 50/60 Hz	☐	>0,5	IP20	30000h
8320	12W LED	4000K	1100 lm	24°	≥ 80	~220-230 V, 50/60 Hz	☐	>0,5	IP20	30000h
8321	12W LED	3000K	1000 lm	24°	≥ 80	~220-230 V, 50/60 Hz	☐	>0,5	IP20	30000h
8322	12W LED	4000K	960 lm	24°	≥ 80	~220-230 V, 50/60 Hz	☐	>0,5	IP20	30000h
8323	12W LED	3000K	930 lm	24°	≥ 80	~220-230 V, 50/60 Hz	☐	>0,5	IP20	30000h
8324	18W LED	4000K	1700 lm	24°	≥ 80	~220-230 V, 50/60 Hz	☐	>0,5	IP20	30000h
8325	18W LED	3000K	1440 lm	24°	≥ 80	~220-230 V, 50/60 Hz	☐	>0,5	IP20	30000h
8326	18W LED	4000K	1700 lm	24°	≥ 80	~220-230 V, 50/60 Hz	☐	>0,5	IP20	30000h
8327	18W LED	3000K	1600 lm	24°	≥ 80	~220-230 V, 50/60 Hz	☐	>0,5	IP20	30000h



PROFILE MIKE 7661



PROFILE MIKE

painting aluminum, plastic

7662 7661


1xGU10, max 15W



PROFILE ZOOM LED 7625



PROFILE INDIA 7657




PROFILE INDIA

painting aluminum, plastic

7656 7657

1xGU10, max 15W



PROFILE ZOOM LED

painting aluminum, plastic

7623 3000K 7625 3000K


7624 4000K 7626 4000K

BEAM CONE


BEAM ANGLE 15°



BEAM ANGLE 50°



PROFILE FOKUS 7621



PROFILE FOCUS LED

painting aluminum, plastic

7618 3000K 7621 3000K

7620 4000K 7622 4000K

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection
7618	9W LED	3000K	440 lm	36°	>90	220-230 V, 50/60 Hz	□	>0.9	IP20
7620	9W LED	4000K	480 lm	36°	>90	220-230 V, 50/60 Hz	□	>0.9	IP20
7621	9W LED	3000K	430 lm	36°	>0.9	220-230 V, 50/60 Hz	□	>0.9	IP20
7622	9W LED	4000K	460 lm	36°	>90	220-230 V, 50/60 Hz	□	>0.9	IP20
7623	9W LED	3000K	550 lm	15-50°	>90	220-230 V, 50/60 Hz	□	>0.9	IP20
7624	9W LED	4000K	580 lm	15-50°	>90	220-230 V, 50/60 Hz	□	>0.9	IP20
7625	9W LED	3000K	490 lm	15-50°	>90	220-230 V, 50/60 Hz	□	>0.9	IP20
7626	9W LED	4000K	520 lm	15-50°	>90	220-230 V, 50/60 Hz	□	>0.9	IP20




PROFILE EYE SPOT 9322

PROFILE EYE 9338



PROFILE EYE SUPER C 9244



PROFILE EYE SUPER C

■ painted steel, plastic PC

■ 9245 ■ 9244


● 1xGU10, max 35W

PROFILE EYE

■ painted steel, plastic PC

■ 9337 ■ 9338


● 1xGU10, max 10W only LED



PROFILE EYE 9338



PROFILE EYE SUPER A 9325



PROFILE EYE SUPER A

■ painted steel, plastic PC

■ 9324 ■ 9325


● 1xGU10, max 35W

PROFILE BIT

■ painted steel, plastic PC

■ 8823


● 1xGU10 ES111, max 75W



PROFILE BIT 8823



PROFILE EYE FLEX 9332



PROFILE EYE FLEX

■ painted steel, flexible stem, plastic

■ 9332


● 1xGU10, max 10W only LED

PROFILE WORKSHOP

■ painted steel, copper-clad steel, plastic PC

■ 9427

● 1xE27, max 60W




PROFILE WORKSHOP 9427



PROFILE IRIS LED 20W 9005



PROFILE EYE SPOT 9322




PROFILE EYE SPOT
 painted steel, plastic PC, chrome

- 9321 9322
- 1xGU10, max 10W only LED
- solid brass, plastic PC
- 7857
- 1xGU10, max 10W only LED



PROFILE VESPA 8825




PROFILE VESPA
 painted steel, plastic PC, chrome

- 8824 8825
- 1xGU10 ES111, max 75W



PROFILE BIT PLUS 9018



PROFILE BIT PLUS
 painted steel, plastic PC


- 9020 9018
- 1xGU10 ES111, max 75W

PROFILE TRACK LIGHTS SYSTEM




1 PROFILE TRACK 1 M painted aluminum

9450 9448




2 PROFILE TRACK 2 M painted aluminum

9451 9452



3 PROFILE POWER SUPPLY KIT painted steel

9237 9238



4 PROFILE SUSPENSION KIT painted steel, plastic

9461 9460


System szynoprzewodowy należy równomiernie obciążyć elektrycznie oraz równomiernie rozmieścić oprawy na jego długości.
The track light system should be evenly electrically loaded and the fittings should be evenly placed along its length.
Система шинопроводов должна быть равномерно электрически нагружена, а светильники - равномерно распределены по её длине

Maksymalna długość jednego obwodu systemu szynoprzewodowego PROFILE - 20 m, a maksymalne obciążenie elektryczne - 1500W
The maximum length of one circuit of track light system PROFILE - 20 m, and the maximum circuit power load - 1500W
Допустимая макс. длина системы шинопровода - 20 м, максимальная электрическая нагрузка - 1500W


WHITE BLACK

Sposoby montażu / Installation methods / Методы монтажа

1. Zwieszenie na linkach stalowych
1. Suspended on steel wires
1. Подвеска на стальных тросах





2. Montaż bezpośredni
2. Surface mounting
2. Прямой монтаж



Zalecany dystans pomiędzy mocowaniami szyny max. 1000 mm
The recommended distance between tracks fasteners is 1000 mm
Рекомендуемое расстояние между креплениями не более 1000 мм


PROFILE TRACK LIGHTS SYSTEM



5 PROFILE STRAIGHT CONNECTOR

plastic PC, steel, copper

9454 9453



6 PROFILE FLEX CONNECTOR


plastic PC, steel, copper

8382 8383

7 PROFILE L CONNECTOR

plastic PC, steel, copper


9456 9455



8 PROFILE T CONNECTOR

plastic PC, steel, copper


9187 9186



9 PROFILE X CONNECTOR

plastic PC, steel, copper


9190 9188



10 PROFILE POWER END CAP

plastic PC, steel, copper


9462 9463



11 PROFILE DEAD END CAP

plastic PC

9457 9458






1 PROFILE RECESSED TRACK 1 METER

1 painted aluminum

9012 9013





2 PROFILE RECESSED TRACK 2 METERS

2 painted aluminum

9014 9015

- 1. Montaż podtynkowy
- 1. Recessed mounting
- 1. Скрытый монтаж





System szynoprzewodowy należy równomiernie obciążyć elektrycznie oraz równomiernie rozmieścić oprawy na jego długości.
 The track light system should be evenly electrically loaded and the fittings should be evenly placed along its length.
 Система шинпровода должна быть равномерно электрически нагружена, а светильники - равномерно распределены по её длине

Maksymalna długość jednego obwodu systemu szynoprzewodowego PROFILE - 20 m, a maksymalne obciążenie elektryczne - 1500W
 The maximum length of one circuit of track light system PROFILE -20 m, and the maximum circuit power load - 1500W
 Допустимая макс. длина системы шинпровода - 20 м, максимальная электрическая нагрузка - 1500W


Zalecany dystans pomiędzy mocowaniami szyny max. 1000 mm
 The recommended distance between tracks fasteners is 1000 mm
 Рекомендуемое расстояние между креплениями не более 1000 мм

PROFILE RECESSED TRACK LIGHTS SYSTEM



3 PROFILE RECESSED STRAIGHT CONNECTOR
plastic PC, steel, copper

8967 8968




4 PROFILE RECESSED FLEX CONNECTOR
plastic PC, steel, copper

8384 8385

5 PROFILE RECESSED L CONNECTOR

plastic PC, steel, copper


8970 8971



6 PROFILE RECESSED T CONNECTOR

plastic PC, steel, copper


8834 8835



7 PROFILE RECESSED X CONNECTOR

plastic PC, steel, copper


8836 8837



8 PROFILE RECESSED POWER END CAP

plastic PC, steel, copper


8972 8973



9 PROFILE RECESSED DEAD END CAP

plastic PC


8974 8975




10 PROFILE RECESSED FIXING SET

steel

8805





ICE EGG A

■ painted steel, glass

■ 8124

● 1xG9, max 25W
IP44




ICE EGG C

■ painted aluminum, glass

■ 8132

● 1xG9, max 25W
IP44



ICE EGG B

■ painted steel, glass


■ 8125

● 1xG9, max 25W
IP44






PIN LED S 8127



PIN LED M

painting aluminum, plastic PC


■ 8128



PIN LED S

painting aluminum, plastic PC

■ 8127



PIN LED L

painting aluminum, plastic PC

■ 8130




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8127	6W LED	4000K	280 lm	120°	≥80	~220-230 V, 50/60 Hz	☐	>0,9	IP44	30000h
8128	10W LED	4000K	500 lm	120°	≥80	~220-230 V, 50/60 Hz	☐	>0,9	IP44	30000h
8130	15W LED	4000K	700 lm	120°	≥80	~220-230 V, 50/60 Hz	☐	>0,9	IP44	30000h

VAN GOGH LED M 9350




VAN GOGH LED L 9174



VAN GOGH LED S

Painted aluminum, plastic PC


9346 9348 9351



VAN GOGH LED M

Painted aluminum, plastic PC

9347 9350 9352



VAN GOGH LED L

Painted aluminum, plastic PC

9176 9175 9174



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9346	9W LED	3000K	370 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	30000h
9348	9W LED	3000K	430 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	30000h
9351	9W LED	3000K	290 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	30000h
9347	13W LED	3000K	490 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	30000h
9350	13W LED	3000K	640 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	30000h
9352	13W LED	3000K	430 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	30000h
9176	18W LED	3000K	800 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	30000h
9175	18W LED	3000K	940 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	30000h
9174	18W LED	3000K	650 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	30000h

BLACK

WHITE

CHROME

VAN GOGH LED M 9347








PICASSO LED

chrome plated aluminum, plastic PC

8131



KAGERA LED M

chrome plated aluminum, glass

9503



KAGERA LED L

chrome plated aluminum, glass


9502



LATH LED





chrome plated steel, plastic PC

8175



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8131	12W LED	4000K	900 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	30000h
8175	16W LED	4000K	1000 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	20000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9502	24W LED	4000K	1380 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	20000h
9503	18W LED	4000K	1000 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	20000h



VISTA
chrome plated steel, glass

8051
1xG9, max 25W only LED
IP44

VISTA
chrome plated steel, glass

8050
3xG9, max 25W only LED
IP44

PAN LED S
glass, chrome plated steel

8173


PAN LED M
glass, chrome plated steel

8174

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8173	12W LED	4000K	530 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	20000h
8174	17W LED	4000K	800 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	20000h



CAYO 8055



CAYO

glass, painted steel

■ 8055

● 1xG9, max 40W


IP44

glass, chrome plated steel

▨ 9505

● 1xG9, max 40W

IP44



SIS

glass, painted steel

■ 8054

● 1xG9, max 40W

IP44

glass, chrome plated steel

▨ 9506

● 1xG9, max 40W

IP44

■ BLACK

■ WHITE

▨ CHROME




■ WHITE

■ BLACK

▨ CHROME



BALI 9353



BALI

glass, painted steel

8053

1xE14, max 25W

glass, chrome plated steel

9353

1xE14, max 25W
IP44

CELTIC

glass, chrome plated steel

3346

1xE14, max 40W

IP44

CELTIC

glass, chrome plated steel

3347

2xE14, max 40W

IP44



BRAZOS 6951



BRAZOS

glass, chrome plated steel

6948

1xG9, max 25W
IP44




BRAZOS

glass, chrome plated steel

6950

2xG9, max 25W
IP44



BRAZOS

glass, chrome plated steel

6951

3xG9, max 25W
IP44



SIMI

painting steel, glass

8052

1xG9, max 25W
IP44




BRAZOS

glass, painted steel

8057

1xG9, max 25W
IP44




BRAZOS

glass, painted steel


8056

3xG9, max 25W
IP44




ICE TUBE LED S
plastic PC, chrome plated steel

8121




ICE TUBE LED M
plastic PC, chrome plated steel

8122



ICE TUBE LED S
plastic PC, chrome plated steel

8118



ICE TUBE LED M
plastic PC, chrome plated steel


8120




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8121	5W LED	4000K	380 lm	120°	≥80	~220-230 V, 50/60 Hz	☐	>0,5	IP44	30000h
8122	8W LED	4000K	630 lm	120°	≥80	~220-230 V, 50/60 Hz	☐	>0,5	IP44	30000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8118	12W LED	4000K	1200 lm	120°	≥80	~220-230 V, 50/60 Hz	☐	>0,4	IP44	30000h
8120	18W LED	4000K	1750 lm	120°	≥80	~220-230 V, 50/60 Hz	☐	>0,4	IP44	30000h

ICE BALL 8126



ICE BALL
brass-plated steel, glass
8126
1xG9, max 25W
IP44



TORCH
chrome plated steel, glass
8123
1xG9, max 25W
IP44

ANTIQUE BRASS


CHROME



MALAKKA LED 9501




BASSA LED 9500



BASSA LED

chrome plated steel, glass

9500



MALAKKA LED

chrome plated steel, glass

9501



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9500	18W LED	4000K	750 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	20000h
9501	18W LED	4000K	940 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	20000h

WHITE


CHROME



ARENA LED 8274




ARENA 6724



ARENA

painting steel, plastic PMMA


- 6724 ■ 6725
- 6770 ■ 8273
- 3xE14, max 20W
- IP44



ARENA SENSOR

painting steel, plastic PMMA

- 8832 ■ 8833 ■ 7953
- 3xE14, max 20W
- IP44



ARENA LED


painting steel, plastic PMMA

- 6726 ■ 6727
- 6771 ■ 8274



ARENA LED 6727

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
6726	18W LED	4000K	1600 lm	100°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,95	IP44	50000h
6727	18W LED	4000K	1600 lm	100°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,95	IP44	50000h
6771	18W LED	4000K	1600 lm	100°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,95	IP44	50000h
8274	18W LED	4000K	1600 lm	100°	≥ 80	220-230 V, 50/60 Hz	⊕	>0,95	IP44	50000h




BRAVO

painting aluminum, glass

8364 8365

1xGU10, max 15W

IP54



ALPHA

painting aluminum, glass

8362 8363

1xGU10, max 15W




IP54

ALPHA 8363





FOXTROT 8373



CHARLIE

■ painted aluminum, glass

■ 8366 ■ 8367

■ 1xGU10, max 15W

IP54/20

■ cut out ø 75 mm

GOLF





■ painted aluminum, glass

■ 8375 ■ 8376

■ 1xGU10, max 15W

IP54/20

■ cut out ø 68 mm



DELTA

■ painted aluminum, glass

■ 8368 ■ 8370

■ 1xGU10, max 15W

IP54/20

■ cut out ø 75 mm

ECHO

■ painted aluminum, glass

■ 8371 ■ 8372


■ 1xGU10, max 15W

IP54/20


■ cut out ø 80 mm



ZESTAW ZAWIERA 4 KOLOROWE NAKŁADKI.
 THE SET INCLUDES FOUR COLOURED RINGS.
 В КОМПЛЕКТЕ 4 ЦВЕТНЫЕ НАКЛАДКИ



11,5 cm



9,8 cm

FOXTROT



Painted aluminum, glass

8373 8374

1xGU10, max 15W

IP54/20

cut out ø 85 mm



JULIET


steel

7663 7664

1xGU10, max 15W

IP54/20

cut out 56 mm



10,2 cm


5,2 cm

HELIOS LED

plastic PC

8991 3000K 8992 4000K

cut out ø 85 mm



10,2 cm

5,2 cm

EOL LED

plastic PC

8988 3000K 8990 4000K

cut out ø 85 mm

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8991	5W LED	3000K	300 lm	100°	≥ 80	~220-230 V, 50/60 Hz	□	>0,5	IP44	20000h
8992	5W LED	4000K	300 lm	100°	≥ 80	~220-230 V, 50/60 Hz	□	>0,5	IP44	20000h
8988	5W LED	3000K	350 lm	90°	≥ 80	~220-230 V, 50/60 Hz	□	>0,5	IP44	20000h
8990	5W LED	4000K	400 lm	90°	≥ 80	~220-230 V, 50/60 Hz	□	>0,5	IP44	20000h

WHITE

BLACK

Can be used outdoor

Can be used outdoor

SILVER

CHROME

WHITE



CUMULUS M 9715




CUMULUS L 6978




CUMULUS S 6976

CUMULUS M 6977






CUMULUS L 6978



CUMULUS S

plastic PE


- 6976
- 1xE27, max 40W
- IP44



CUMULUS M

plastic PE


- 6977
- 1xE27, max 60W
- IP44



CUMULUS XL

plastic PE

- 9714
- 1xE27, max 60W
- IP44




CUMULUS L

plastic PE

- 6978
- 1xE27, max 60W
- IP44




CUMULUS S 9751



CUMULUS S

plastic PE, painted steel


- 9751
- 1xE27, max 60W
- IP65



CUMULUS M

plastic PE, painted steel

- 9715
- 1xE27, max 60W
- IP65






CUMULUS L

plastic PE


- 9607
- 1xE27, max 60W
- IP65



CUMULUS M 9715



FLOWERPOT S 9711



CUMULUS CUBE M

plastic PE

8966

1xE27, max 60W

IP44



STAR

plastic PE

9426

1xE27, max 40W

IP44



CUMULUS CUBE L

plastic PE

8965

1xE27, max 60W

IP44


GALAXY


plastic PE, painted steel

9246

1xE27, max 40W

IP65






STRUCTURE LED

Painted aluminum, plastic PC

■ 8146



STRUCTURE LED

Painted aluminum, plastic PC

■ 8145



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8145	13W LED	3000K	820 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0,9	IP54	20000h
8146	13W LED	3000K	820 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0,9	IP54	20000h

■ BLACK




STRUCTURE LED 8145



SYMMETRY LED 8176


SYMMETRY LED
 painted aluminum, plastic PC

■ 8176




SYMMETRY LED
 painted aluminum, plastic PC

■ 8180




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8176	7W LED	3000K	212 lm	67 °	85	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	30000h
8180	7W LED	3000K	388 lm	66 °	85	~220-230 V, 50/60 Hz	⊕	>0,85	IP54	30000h




OTTAWA
painted aluminum, glass

■ 9562
● 1xGU10, max 35W
IP44




SOUL
painted aluminum, glass

■ 9555
● 1xGU10, max 35W
IP44



OTTAWA
painted aluminum, glass

■ 9561
● 1xGU10, max 35W
IP44



SOUL
painted aluminum, glass

■ 9557
● 1xGU10, max 35W
IP44



OTTAWA
painted aluminum, glass

■ 9563
● 1xGU10, max 35W
IP44




SOUL 9557



TUBINGS M 8161



TUBINGS 8158




TUBINGS S

■ painted aluminum, glass

■ 8160

🔌 1xGU10, max 35W

IP54




TUBINGS M

■ painted aluminum, glass, plastic

■ 8161

🔌 1xGU10, max 35W

IP54




TUBINGS

■ painted aluminum, glass

■ 8158


🔌 1xGU10, max 35W

IP54



SPIKE LED S
painted aluminum, glass

■ 9101




SPIKE LED M
painted aluminum, glass, plastic

■ 9100



BUSH 3401



BUSH
painted aluminum, glass

■ 3401


● 1xGU10, max 35W

IP65

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9100	5W LED	3000K	330 lm	30°	>80	~220-230 V, 50/60 Hz	⊕	>0,55	IP54	10000h
9101	5W LED	3000K	330 lm	30°	>80	~220-230 V, 50/60 Hz	⊕	>0,55	IP54	10000h




THIKA LED 9118




THIKA LED B
painted aluminum, glass

■ 9120



THIKA LED A
painted aluminum, glass

■ 9121




THIKA LED
painted aluminum, glass

■ 9118



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9118	9W LED	3000K	550 lm	39°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	20000h
9120	15W LED	3000K	1035 lm	110°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,9	IP54	20000h
9121	10W LED	3000K	996 lm	110°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,9	IP54	20000h




RIO

4424
painted aluminum, plastic PC

4424

2xE27, max 40W

IP54




RIO

4423
painted aluminum, plastic PC

4423

1xE27, max 40W

IP54



RIO SENSOR

7017
painted aluminum, plastic PC

7017

1xE27, max 40W

IP54



RIO SENSOR

9097
painted aluminum, plastic PC


9097

1xE27, max 40W

IP54



RIO SENSOR 9097




ROCK

■ painted aluminum, plastic PC

■ 3406

■ 1xE27, max 60W

IP44




ROCK

■ painted aluminum, plastic PC

■ 3405

■ 1xE27, max 60W

IP44




ROCK

■ painted aluminum, plastic PC

■ 3407

■ 2xE27, max 60W

IP44




FOG

■ painted aluminum, glass

■ 3403

■ 1xE27, max 60W

IP44




FOG

■ painted aluminum, glass

■ 3402

■ 1xE27, max 60W

IP44




FOG

■ painted aluminum, glass

■ 3404


■ 2xE27, max 60W

IP44




NEGRO
painted aluminum, glass

■ 4425
● 1xGU10, max 35W
IP54




EXE
painted aluminum, glass

■ 8331
● 1xGU10, max 35W
IP54




NEGRO
painted aluminum, glass

■ 4426
● 2xGU10, max 35W
IP54




EXE
painted aluminum, glass

■ 8330
● 2xGU10, max 35W
IP54




SIERRA
painted aluminum, plastic PC

■ 4421
 ⚡ 1xE27, max 40W
 IP54




SIERRA
painted aluminum, plastic PC

■ 4422
 ⚡ 2xE27, max 40W
 IP54




BRICK
painted aluminum, glass

■ 3408
 ⚡ 1xE27, max 60W
 IP65



ORINOKO
painted aluminum, plastic PC


■ 4387
 ⚡ 1xE27, max 20W
 IP44



UNIT LED
painted aluminum

■ 9122
 ⚡

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9122	2x5W LED	3000K	727 lm	110°	≥ 80	~220-230 V, 50/60 Hz	⚡	>0.89	IP54	20000h




MEKONG

■ painted aluminum, glass

■ 4418

● 1xE27, max 18W

IP42




MISTRAL

■ painted aluminum, plastic PC

■ 4390

● 1xE27, max 23W

IP44




MEKONG

■ painted aluminum, glass

■ 4420

● 2xE27, max 18W

IP42




MISTRAL

■ painted aluminum, plastic PC

■ 3393

● 1xE27, max 23W

IP44




MEKONG

■ painted aluminum, glass

■ 4698

● 1xE27, max 18W

IP42



MISTRAL

■ painted aluminum, plastic PC


■ 3394

● 1xE27, max 23W

IP44



AMUR 4692




AMUR
painted aluminum, glass

■ 4692
● 1xE27, max 60W
IP23




AMUR 4693



AMUR
painted aluminum, glass

■ 4693
● 1xE27, max 60W
IP23




AMUR
painted aluminum, glass

■ 4694
● 1xE27, max 60W
IP44



TYBR 4685



TYBR
painted aluminum, glass

■ 4685
● 1xE27, max 60W
IP44




TYBR 4684



TYBR
painted aluminum, glass

■ 4686
● 1xE27, max 60W
IP44



TYBR
painted aluminum, glass

■ 4684
● 1xE27, max 60W
IP44



TAY 5294

25 cm



36 cm



TAY 5292


TAY

■ painted aluminum, glass

■ 5292

● 1xE27, max 60W

IP23



112 cm

18.5 cm


TAY

■ painted aluminum, glass

■ 5294

● 1xE27, max 60W

IP23



81 cm

18.5 cm

TAY

■ painted aluminum, glass


■ 5293

● 1xE27, max 60W

IP23



SPEY 5290



15.5 cm

23 cm

SPEY

■ painted aluminum, glass


■ 5290

● 1xE27, max 60W

IP23



SPEY 5291



75 cm

10 cm

SPEY

■ painted aluminum, glass


■ 5291

● 1xE27, max 60W

IP23

■ BLACK

■ BLACK



LANTERN

■ painted aluminum, glass

■ 6911

■ 1xE27, max 60W

IP23


QUARTZ

■ painted aluminum, plastic PC

■ 3411

■ 1xE27, max 60W

IP21



QUARTZ SENSOR 7016



QUARTZ SENSOR

■ painted aluminum, plastic PC

■ 7016

■ 1xE27, max 60W

IP21



DON

■ painted aluminum, glass

■ 4687

■ 1xE27, max 60W

IP44


INDUS

■ painted aluminum, glass

■ 4440

■ 2xE27, max 15W

IP44






POLE LED 9185



LHOTSE LED

Painted aluminum, plastic PC

■ 4448



POLE LED

Painted aluminum, plastic PC


■ 9185



TEPIC LED

Painted aluminum


■ 9508




MONTERREY LED

Painted aluminum

■ 9507





Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9508	9W LED	3000K	395 lm	31°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,85	IP54	10000h
9507	9W LED	3000K	410 lm	39°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,85	IP54	10000h
4448	9W LED	3000K	169 lm	72°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,79	IP54	10000h
9185	20W LED	3000K	950 lm	54°	>80	~220-230 V, 50/60 Hz	⊕	>0,94	IP54	30000h




NORIN
 painted aluminum, glass
 4446
 1xE27, max 20W
 IP44

OIR
 painted aluminum, plastic PC
 9158
 1xE27, max 40W
 IP44




HORN
 painted aluminum, glass
 4906
 1xE27, max 20W
 IP44

SIROCCO
 aluminum, glass
 3396
 1xE27, max 60W
 IP44






PATHWAY LED M 9252



PATHWAY FOUNDATION KIT

steel


8795



PATHWAY LED S

painting steel, painting aluminum


9420



PATHWAY LED M

painting steel, painting aluminum

9252




PATHWAY LED L

painting steel, painting aluminum

9125




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9420	24W LED	3000K	2200 lm	100°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,9	IP44	30000h
9252	24W LED	3000K	2200 lm	100°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,9	IP44	30000h
9125	36W LED	3000K	3600 lm	100°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,9	IP44	30000h



PUEBLA LED
painted aluminum, plastic PC

■ 9513



MERIDA LED
painted aluminum, plastic PC


■ 9514



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9513	12W LED	3000K	538 lm	110°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,93	IP54	20000h
9514	12W LED	3000K	538 lm	110°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,93	IP54	20000h



HEXA 9565



HEXA
painted aluminum, glass

■ 9564 ■ 9565



1xGU10, max 35W

IP44

EDESSA LED M 9107






LENS LED 9113



LENS LED 9112




LENS LED
painted aluminum, glass

■ 9112 ■ 9113



EDESA LED M 9108




EDESA LED M
painted aluminum, glass

■ 9108 ■ 9107



EDESA LED S 9110



EDESA LED S
painted aluminum, glass

■ 9111 ■ 9110



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9112	2x2W LED	3000K	40 lm	10°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,55	IP54	10000h
9113	2x2W LED	3000K	59 lm	10°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,55	IP54	10000h
9107	7W LED	3000K	530 lm	68°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,55	IP54	10000h
9108	6W LED	3000K	460 lm	68°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,55	IP54	10000h
9110	3W LED	3000K	220 lm	52°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,55	IP54	10000h
9111	3W LED	3000K	220 lm	52°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,55	IP54	10000h



NOOK 7965



NOOK 7972



NOOK 7970





NOOK 7978



NOOK 7976



NOOK 7965



NOOK

plastic ABS, plastic PC

- 7972 7970 7965
- 7976 7978



IP44

NOOK SENSOR

plastic ABS, plastic PC


- 7971 7968 7964
- 7975 7977



IP44



TAHOE 7611



TAHOE

plastic PC, plastic ABS

- 3118 3250



IP65



TAHOE 3242

TAHOE

plastic PC, plastic ABS


- 3240 3251
- 3242 7611



IP65



TAHOE 8831




TAHOE SENSOR

plastic PC, plastic ABS


- 8831 8830



IP65



ZOA LED 9421




ZOA LED
painted aluminum, glass

■ 9421



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9421	10W LED	3000K	795 lm	110°	≥ 81	~220-230 V, 50/60 Hz	⊕	>0,55	IP54	20000h




SINUS

painted aluminum, glass

■ 8144


⊕ 1xGU10, max 35W
IP54



PATRAS LED

painted aluminum, glass

■ 9115




MUNO LED

painted aluminum, glass

■ 6776






Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9115	4x1W LED	3000K	320 lm	38°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,55	IP54	10000h
6776	6W LED	3000K	242 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,54	IP54	8000h



ELLIPSES LED
painted aluminum, glass

8140 8182 8181




TRIANGLES LED
painted aluminum, glass

8143 8142 8141



LIMA LED
painted aluminum

9510




KHUMBU
painted aluminum, glass

4443

1xG9, max 40W

IP44



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8140	2x5W LED	3000K	800 lm	180°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	10000h
8141	2x5W LED	3000K	750 lm	180°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	10000h
8142	2x5W LED	3000K	700 lm	180°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	10000h
8143	2x5W LED	3000K	800 lm	180°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	10000h
8181	2x5W LED	3000K	750 lm	180°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	10000h
8182	2x5W LED	3000K	700 lm	180°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	10000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9510	6W LED	3000K	400 lm	97°	≥80	~220-230 V, 50/60 Hz	⊕	>0,55	IP54	10000h


WHITE

BLACK-GOLD

BLACK

WHITE

GRAPHITE




ASSOS

■ painted aluminum, glass

■ 9123

■ 1xGU10, max 10W

IP54




ASSOS

■ painted aluminum, glass

■ 9124

■ 2xGU10, max 10W

IP54




ARRIS

■ steel, glass

■ 9516

■ 1xGU10, max 10W

IP54




ARRIS

■ steel, glass

■ 9515

■ 2xGU10, max 10W

IP54




NICO

■ painted aluminum, glass

■ 9518

■ 1xGU10, max 10W

IP54




NICO

■ painted aluminum, glass

■ 9517


■ 2xGU10, max 10W

IP54




PEAK LED
 painted aluminum, glass

■ 4441
 ⚡



DRAS LED
 painted aluminum, glass

■ 4442
 ⚡




SEMI LED
 painted aluminum, glass

■ 6775
 ⚡


PRIMM
 painted aluminum, glass

■ 9551
 ⚡ 1xGU10, max 10W
 IP54



FALLON
 painted aluminum, glass


■ 9552
 ⚡ 1xGU10, max 10W
 IP54



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
4441	2x3W LED	3000K	62 lm	83°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,91	IP54	10000h
4442	2x3W LED	3000K	122 lm	65°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,91	IP54	10000h
6775	7W LED	3000K	242 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,54	IP54	8000h




BAY LED M 8165




SIDEWALK ROUND LED
painted aluminum, plastic PC

■ 8147




SIDEWALK SQUARE LED
painted aluminum, plastic PC

■ 8148



BAY LED
painted aluminum, plastic PC

■ 8164




BAY LED
painted aluminum, plastic PC

■ 8165



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8164	3W LED	3000K	200 lm	54 °	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP65	10000h
8165	5W LED	3000K	360 lm	51 °	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP65	10000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8147	1,6W LED	3000K	61 lm	120 °	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	20000h
8148	1,6W LED	3000K	61 lm	120 °	≥80	~220-230V V, 50/60 Hz	⊕	>0,5	IP54	20000h




BASALT

■ painted aluminum, plastic

■ 3412 ■ 4966

⚡ 1xE14, max 60W

IP44




ASSAM

■ painted aluminum, glass, plastic

■ 4453

⚡ 1xE27, max 18W

IP65





INA

■ painted aluminum, glass, plastic

■ 4907

⚡ 1xE27, max 18W


IP65



STEP LED

■ painted aluminum, plastic

■ 6907 ■ 6908



OIA LED

■ painted aluminum, plastic


■ 9102 ■ 9103



⚡ cut out ø 40 mm



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9102 9103	1W LED	3000K	45 lm	49°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,55	IP20	10000h
6907	3W LED	3000K	120 lm	92°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,57	IP44	10000h
6908	3W LED	3000K	190 lm	92°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,57	IP44	10000h



PICCO LED S


aluminum

9106



cut out ø 38 mm

IP67



PAOLI

steel, glass

9554

1xGU10, max 10W

cut out ø 100 mm

IP67




MON LED

aluminum, glass

4454

cut out ø 64 mm

IP67



PICCO LED M


aluminum

9105



cut out ø 55 mm

IP67



PICCO LED L


aluminum

9104



cut out ø 65 mm

IP67



PAT LED


aluminum, plastic PC

8162



cut out ø 56 mm

IP65



CIRCLET LED

aluminum, plastic PC

8163



cut out ø 57 mm

IP65

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9106	1W LED	3000K	47 lm	42°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,55	IP67	10000h
9105	1W LED	3000K	52 lm	51°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,55	IP67	10000h
9104	3W LED	3000K	130 lm	48°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,55	IP67	10000h


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
4454	2W LED	3000K	100 lm	28°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,42	IP67	10000h
8162	3W LED	3000K	12 lm	25°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP65	10000h
8163	3W LED	3000K	120 lm	47°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP65	10000h

|| SILVER

■ BLACK

|| SILVER

■ BLACK



HANGING SET FOR PICNIC LED

aluminum, steel

8107 8106

Lampa bezprzewodowa, przenośna, zewnętrzna


- Podstawa ładująca w komplecie
- Akumulator litowy 2×2200 mAh
- Czas pełnego ładowania 5-8 h
- Czas pracy 12 h
- Włącznik dotykowy
- Ściemniacz

Wireless lamp, portable, outdoor

- Charging base (set incl.)
- 2×2200 mAh lithium battery
- Full charge time 5-8h
- Work time 12 h
- Touch switch
- Dimmable

Беспроводный светильник, переносной, уличный

- База для зарядки в комплекте
- Литиевая батарея 2×2200 mAh
- Время полной зарядки 5-8 ч
- Рабочее время 12 ч
- Сенсорный выключатель
- Диммер



PICNIC LED

painte aluminum, plastic PC

8178 8177



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
8177	2,2W LED	3000K	155 lm	46°	≥84	~220-230 V, 50/60 Hz	☐	IP54	30000h
8178	2,2W LED	3000K	155 lm	46°	≥84	~220-230 V, 50/60 Hz	☐	IP54	30000h


WHITE

GRAPHITE





MAHE LED 8397



MAHE LED
painted aluminum, plastic PC

- 8397
- 8398

- Lampa bezprzewodowa, przenośna, zewnętrzna
- Ładowarka MICRO USB (w zestawie)
 - Czas pełnego ładowania 5-7 h
 - Czas pracy 9 h
 - Włącznik dotykowy
 - Ściemniacz

- Wireless lamp, portable, outdoor
- Power adapter MICRO USB (set incl.)
 - Full charge time 5-7 h
 - Work time 9 h
 - Touch switch
 - Dimmable

- Беспроводный светильник, переносной, уличный
- Зарядное устройство MICRO USB (в наборе)
 - Время полной зарядки 5-7 ч
 - Рабочее время 9 ч
 - Сенсорный выключатель
 - Диммер

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
8397	2,2W LED	3000K	168 lm	46°	≥ 84	~220-230 V, 50/60 Hz	☐	IP54	25000h
8398	2,2W LED	3000K	168 lm	46°	≥ 84	~220-230 V, 50/60 Hz	☐	IP54	25000h






FASTOON LIGHTS 6 M 7873




MAX 2000W MAX 80m CONNECTABLE



POWER CORD FOR
FESTOON LIGHTS
rubber cable

■ 7871

IP65



FESTOON LIGHTS 6M
rubber cable

■ 7873

● 10xE27, max 15W

IP65

FESTOON LIGHTS 9M
rubber cable

■ 7872

● 15xE27, max 15W

IP65




5 PC SET

BULB LED E27, A60 2W,
5 PC SET

glass


□ 7487



REFLECTOR COB LED, GU10 , ES111, 15W

plastic


9831 4000K



REFLECTOR LENS LED, GU10, ES111, 9W

plastic


9343 3000K 9345 3000K
9213 4000K 9214 4000K



REFLECTOR DIFFUSER LED, GU10, ES111, 9W

plastic


9342 3000K 9344 3000K
9211 4000K 9212 4000K



BULB LED G9, 7W

ceramic housing, plastic PC


9197 3000K



BULB LED G9, 4W

plastic PC


7503 3000K 7504 4000K



BULB LENS LED, G9, 3W

ceramic housing, plastic PC

9173 3000K 8447 4000K



REFLECTOR LED, GU10, R50, 7W

plastic

9180 3000K 8348 3000K
9178 4000K 8347 4000K

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime
9831	15W LED COB	4000K	1200 lm	37°	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
9343	9W LED	3000K	770 lm	30°	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
9345	9W LED	3000K	870 lm	27°	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
9213	9W LED	4000K	870 lm	26°	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
9214	9W LED	4000K	930 lm	30°	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
9342	9W LED	3000K	660 lm	120°	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
9344	9W LED	3000K	700 lm	120°	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
9211	9W LED	4000K	680 lm	120°	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
9212	9W LED	4000K	730 lm	120°	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime
9197	7W LED	3000K	750 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
7503	4W LED	3000K	380 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0,4	25000h
7504	4W LED	4000K	390 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0,4	25000h
9173	3W LED	3000K	330 lm	90°	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
8447	3W LED	4000K	310 lm	90°	>80	~220-230 V, 50/60 Hz	>0,5	25000h

WHITE

BLACK

WHITE


BLACK



BULB LED GX53, 8W

plastic PC

8377 3000K 8378 4000K



BULB GLASS BALL LED, E27, 8W

glass

9177




5 PC SET

BULB LED E27, A60 2W, 5 PC SET

glass


7487



BULB VINTAGE LED E14, 4W

glass


9793



BULB VINTAGE LED E27, 4W

glass


9794



BULB VINTAGE LED E27, 4W

glass


9796



BULB VINTAGE LED E27, 4W

glass

9797



BULB VINTAGE LED E27, 4W

glass

9795

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime
9180	7W LED	3000K	600 lm	39°	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h
9178	7W LED	4000K	620 lm	50°	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h
8348	7W LED	3000K	560 lm	41°	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h
8347	7W LED	4000K	570 lm	40°	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h
8377	8W LED	3000K	610 lm	100°	>80	~220-230 V, 50/60 Hz	>0.5	25000h
8378	8W LED	4000K	650 lm	100°	>80	~220-230 V, 50/60 Hz	>0.5	25000h
9177	8W LED	3000K	840 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h
7487	2W LED	2200K	160 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.4	15000h


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Replacement	Switch cycles on/off	Lifetime
9793	4W LED	2200K	440 lm	360°	≥ 80	~220-230 V, 50/60 Hz	4W LED=35W	x 15 000	15000h
9794	4W LED	2200K	400 lm	360°	≥ 80	~220-230 V, 50/60 Hz	4W LED=35W	x 15 000	15000h
9796	4W LED	2200K	360 lm	360°	≥ 80	~220-230 V, 50/60 Hz	4W LED=35W	x 15 000	15000h
9797	4W LED	2200K	390 lm	360°	≥ 80	~220-230 V, 50/60 Hz	4W LED=35W	x 15 000	15000h
9795	4W LED	2200K	370 lm	360°	≥ 80	~220-230 V, 50/60 Hz	4W LED=35W	x 15 000	15000h



TUBE LED T8, 11W

glass

7500



WATERPROOF CONNECTOR IP68

plastic PA

8845


IP68



TUBE LED T8, 16W

glass

7501



WATERPROOF „Y” CONNECTOR IP68

plastic PA

8846


IP68



TUBE LED T8, 22W

glass

7502



MICROWAVE SENSOR

plastic

8821

Item No.	Power	Colour temp.	Leds	Luminous flux	Beam angle	Colour Rendering Index (CRI 2)	Input	Power factor	Lifetime
7500	11W LED	3000K	SMD2835	1700 lm	120°	≥80	~220-230 V, 50/60 Hz	>0,5	30000h
7501	16W LED	3000K	SMD2835	2300 lm	120°	≥80	~220-230 V, 50/60 Hz	>0,5	30000h
7502	22W LED	3000K	SMD2835	3200 lm	120°	≥80	~220-230 V, 50/60 Hz	>0,5	30000h



DUPLEX

plastic PC

9341

2xE27, max 40W

Informacje ogólne / General information / Главная Информация

Rzeczywiste parametry produktów mogą się różnić od wartości deklarowanych w katalogu o +/- 10%.
The actual product parameters may differ from the values declared in the catalogue by +/- 10%.
Фактические параметры товаров могут отличаться от заявленных в каталоге значений на +/- 10%.

Zdjęcia prezentowanego asortymentu w niniejszym katalogu mają charakter poglądowy.
Rzeczywisty kolor produktów może nieznacznie odbiegać od prezentowanego na zdjęciach, ze względu na technologię druku.

Photos in this catalogue are for illustrative purposes only.
The actual color of the products may slightly differ from that shown in the photos, due to the printing technology.

Фотографии представленного ассортимента в этом каталоге в качестве иллюстрации.
Фактический цвет продуктов может незначительно отличаться от представленного на фотографиях из-за технологии печати.

Informacje techniczne / Technical information / Техническая информация

Temperatura barwowa (K) - w potocznym rozumieniu, to „kolor” światła białego emitowanego przez źródło, np. źródło LED.
W uproszczeniu możemy podzielić je na światło o:

- barwie ciepłej
- barwie neutralnej
- barwie zimnej

Colour temperature (K) in common understanding is the colour of white light emitted by a source, for example such as an LED source.


In simple terms, we can divide them into:

- Warm white
- White
- Cool white

Цветовая температура (K) в общепринятом понимании - это «цвет» белого света, излучаемого источником, например светодиодом.

Проще говоря, мы можем разделить их на:

- Теплый белый
- Белый
- Холодный белый



Strumień świetlny (lm/lumen) - w potocznym rozumieniu, to całkowita moc światła emitowanego z danego źródła światła.

Lumen (lm) - jednostka miary strumienia świetlnego w układzie SI

1 lm = 1 cd·sr

Luminous flux (lm / lumen) - the total power of light emitted from a light source.

Lumen (symbol: lm) - the unit of luminous flux in SI system.

1 lm = 1 cd·sr

Световой поток (лм / люмен) - общая мощность света, излучаемого данным источником света.

Люмен (лм) - единица светового потока в системе SI.

1 lm = 1 cd·sr

Natężenie oświetlenia (lx/luks) - w potocznym rozumieniu, to gęstość strumienia świetlnego padającego na daną powierzchnię.

Luks (lx) - jednostka natężenia oświetlenia w układzie SI.

1 lx = 1 cd·sr / m²

Illuminance (lx / lux) - in common understanding, it is the density of the luminous flux incident on a given surface.

Lux (lx) - a unit of illuminance in the SI system.

1 lx = 1 cd sr / m²

Освещенность (лк / люкс) - плотность светового потока на заданную площадь.

Единица освещенности в системе SI.

1 lx = 1 cd·sr / m²

CRI (od ang. colour rendering index), Ra - wskaźnik oddawania barw charakteryzujący źródło światła, który określa, jak dobrze postrzegane są barwy oświetlonych przedmiotów.

Im wskaźnik ten jest wyższy, tym barwy są lepiej oddawane, a oświetlane przedmioty wyglądają naturalniej.

Wyrażony jest liczbą z przedziału od 0 do 100, gdzie 100 to światło słoneczne.

Minimum wg przepisów w UE dla opraw wewnętrznych to 80.

CRI- is an index of a light source's ability to reveal colours. It determines how well illuminated colours are perceived.

The higher index, the better colour rendering and the illuminated objects look more natural.

It is expressed with a number from 0 to 100, where 100 is a sunlight.

The minimum according to EU regulations for indoor luminaires is 80.

CRI (colour rendering index) Индекс цветопередачи, характеризующий источник света, который определяет, насколько хорошо воспринимаются цвета освещенных объектов. Чем выше этот индекс, тем лучше передаются цвета и освещенные объекты выглядят естественнее.

Он выражается числом от 0 до 100, где 100 - солнечный свет.

Минимальное требование ЕС для светильников для внутреннего освещения - 80.

Stopień ochrony IP / Degree of protection IP / Степень защиты IP

Stopień ochrony jest wyrażony dwoma cyframi. Pierwsza oznacza ochronę przed ciałami stałymi. Druga to ochrona przed cieczami.








Degree of protection is expressed by two figures. The first one stands for protection against solid particles. The second one stands for protection against liquids.


Степень защиты выражается двумя цифрами. Первая цифра относится к защите от твердых веществ, вторая, к защите от жидкостей.


1 cyfra / 1st figure / 1-ая цифра	
IP0...	Brak ochrony / Not protected / Нет защиты
IP1...	Ochrona przed ciałami stałymi większymi niż 50 mm / Protected against solid objects greater than 50 mm / Защита от попадания твердых веществ \varnothing 50 мм
IP2...	Ochrona przed ciałami stałymi większymi niż 12 mm / Protected against solid objects greater than 12 mm / Защита от попадания твердых веществ \varnothing 12 мм
IP3...	Ochrona przed ciałami stałymi większymi niż 2,5 mm / Protected against solid objects greater than 2,5 mm / Защита от попадания твердых веществ \varnothing 2,5 мм
IP4...	Ochrona przed ciałami stałymi większymi niż 1 mm / Protected against solid objects greater than 1 mm / Защита от попадания твердых веществ \varnothing 1 мм
IP5...	Ochrona przed pyłem / Protected against dust infiltration / Защита от попадания пыли
IP6...	Ochrona pyłoszczelna / Totally protected against dust infiltration / Полная защита от попадания пыли


2 cyfra / 2nd figure / 2-ая цифра	
IP..0	Brak ochrony / Not protected / Нет защиты
IP..1	Ochrona przed padającymi kroplami wody / Protected against vertically falling water drops / Защита от попадания капель воды в вертикальном падении
IP..2	Ochrona przed padającymi kroplami wody przy wychyleniu do 15° / Protected against falling water drops up to 15° from the vertical / Защита от попадания капель воды под углом не более 15°
IP..3	Ochrona przed natryskiwana wodą / Protected against rain / Защита от дождя
IP..4	Ochrona przed bryzgami wody / Protected against splashing water / Защита от брызг воды
IP..5	Ochrona przed strugami wody / Protected against water jets / Защита от струи воды
IP..6	Ochrona przed falami / Protected against powered water jets / Защита от сильной струи воды
IP..7	Ochrona przed zanurzeniem / Protected against temporary immersion / Защита от временного погружения
IP..8	Ochrona przed głębokim zanurzeniem / Protected against continuous immersion / Защита от продолжительного погружения


IKONY / ICONS / ИЗОБРАЖЕНИЯ


 Lampa wisząca / Pendant lamp / Подвесные светильники	 Kinkiet / Wall lamp / Настенные светильники	 Kinkiet podtynkowy / Recessed wall lamp / Встраиваемые настенные светильники
 Lampa sufitowa / Ceiling lamp / Потолочные светильники	 Oświetlenie punktowe / Spotlight / Точечные светильники	 Źródło światła / Light source / Источник света
 Lampa biurkowa / Table lamp / Настольные лампы	 Podtynkowa lampa sufitowa / Recessed ceiling lamp / Встраиваемые потолочные светильники	 Tuba ledowa / Led tube / Светодиодная лампа
 Lampa podłogowa / Floor lamp / Торшеры	 Lampa najazdowa / Overrun lamp / Встраиваемые дорожные светильники	 Wyciąć / Cut out / Вырезать


 Oprawy oznaczone tym symbolem nie wolno okrywać materiałem termoizolacyjnym. Fittings marked with this symbol must not be covered with thermal insulation materials. Светильники, обозначенные этим символом, нельзя покрывать термоизоляционным материалом.


 Klasa ochronna druga oznacza, że oprawa posiada podwójną izolację ochronną, a przewód ochronny (żyła żółto-zielona) nie może być podłączony do oprawy oświetleniowej. Protection class II means that the fittings are equipped with a double protective insulation, and the green and yellow protective conductor must not be connected to the fitting. Второй защитный класс обозначает светильник с двойной защитной изоляцией, а защитный желто-зеленый провод не должен подключаться к светильнику.


 Klasa ochronna pierwsza oznacza, że oprawa musi być podłączona za pomocą przewodu ochronnego (żyła żółto-zielona) do przewodu lub zacisku uziemiającego. Protection class I means that the fitting must be connected with the yellow and green protective conductor to the grounding wire or terminal. Первый защитный класс обозначает, что светильник должен быть подключен с помощью защитного желто-зеленого провода к заземленному проводу или зажиму.


 Klasa ochronna III oznacza, bezpieczeństwo elektryczne gwarantowane przez bardzo niskie zasilanie (poniżej 50 V). Bez uziemienia. Protection class III means, that electrical safety is guaranteed by a very low power supply (less than 50 Volt). No grounding. Класс III электрическая безопасность гарантирована подачей электроэнергии низкого напряжения (меньше чем 50 вольт).


 Oprawy oznaczone tym symbolem wolno instalować wyłącznie na podłożach niepalnych. Fittings marked with this symbol are suitable for installation only on nonflammable surfaces. Светильники, обозначенные этим символом, можно устанавливать только на негорючих поверхностях.


 Zgodność produktów z ukraińskimi normami. Ukrainian standards compliant. Соответствие продукции украинским стандартам.


 Zgodność z normami Unii Europejskiej. EU standards compliant. Соответствие стандартам Европейского Союза.

 Zgodność produktów z normami Euroazjatyckiej Unii Gospodarczej. EAEU standards compliant. Соответствие продукции стандартам Евразийского экономического союза.

 Do użytku zewnętrznego. Interior use only. Для внешнего использования.



















 Do wewnętrznego użytku. Exterior use only. Для внутреннего использования.

 Do stosowania wewnątrz i na zewnątrz. Interior and exterior use. Для внутреннего и внешнего использования.

 Zużyte oprawy oświetleniowe są surowcami wtórnymi - nie wolno wyrzucać ich do pojemników na odpady domowe, mogą zawierać substancje niebezpieczne dla zdrowia i życia ludzkiego oraz środowiska. Zgodnie z dyrektywą WEEE 2012/19/UE użytkownik zobowiązany jest do oddania opraw do punktu zbierania zużytego sprzętu, co przyczyni się do ochrony środowiska naturalnego. Used lighting fixtures are recyclable materials - they must not be disposed of in household waste containers as they may contain substances hazardous to human health or life as well as to the natural environment. In accordance with Regulation WEEE 2012/19 /EU, luminaire user is obliged to return a used lighting fixture to a waste appliance collection point, which will contribute to the protection of the natural environment. Исползованные осветительные приборы являются вторсырьем, их нельзя выбрасывать в контейнеры с хозяйственными отходами, потому что они могут содержать в себе вещества, опасные для здоровья и жизни человека, и вредные для окружающей среды. Согласно директиве WEEE 2012/19/UE, потребитель обязан сдать осветительные приборы в пункт сбора использованного оборудования, что положительно влияет на окружающую среду.

Material	Materiał	Материал
Acrylic crystals	Kryształki akrylowe	Акриловые кристаллы
Aluminum	Aluminium	Алюминий
Braided cable	Przewód w oplocie	Плетеный кабель
Brass plated steel	Stal mosiądzowana	Сталь с латунным покрытием
Brushed stainless steel	Stal nierdzewna szczotkowana	Матовая нержавеющая сталь
Ceramic housing	Ceramiczna oprawka	Керамический патрон
Chrome	Chrom	Хром
Chrome plated steel	Stal chromowana	Хромистая сталь
Composite	Kompozyt	Композитный материал
Concrete	Beton architektoniczny	Архитектурный бетон
Copper plated steel	Stal miedziana	Сталь плакированная медью
Crystal	Kryształ	Кристаллы
Fabric	Tkanina	Ткань
Flexible stem	Peszel	Пешель
Glass	Szkło	Стекло
Gypsum	Gips	Гипс
Metallized glass	Szkło metalizowane	Металлизированное стекло
Painted aluminum	Aluminium lakierowane	Окрашенный алюминий
Painted steel	Stal lakierowana	Лакированная сталь
Plastic	Tworzywo sztuczne	Пластик
Plastic ABS	Tworzywo sztuczne ABS	АБС-пластик
Plastic PA	Tworzywo sztuczne PA	РА-пластик
Plastic PC	Tworzywo sztuczne PC	РС-пластик
Plastic PP	Tworzywo sztuczne PP	РР-пластик
Plastic PS	Tworzywo sztuczne PS	РС-пластик
Plastic PC/ABS	Tworzywo sztuczne PC/ABS	РС-АБС-пластик
Plastic PE	Tworzywo sztuczne PE	ПЭ-пластик
Plastic PMMA	Tworzywo sztuczne PMMA	РММА-пластик
Plywood	Sklejka	Фанера
Rubber cable	Przewód gumowy	Резиновый кабель
Silicone	Silikon	Силикон
Solid brass	Lity mosiądz	Твердой латуни
Steel	Stal	Сталь
Velvet	Aksamit	Бархат
Wood	Drewno	Древесина

KODY KOLORÓW / COLOUR CODES / ЦВЕТОВЫЕ КОДЫ


			
P001 / RAL 9003	P002 / RAL 9003	P003 / RAL 9003	P004 / RAL 9003
			
P005	P006 / RAL 9006	P007	P009 / RAL 7039
			
P010 / RAL 7016	P011 / RAL 9005	P012 / RAL 9005	P013 / RAL 9005
			
P014 / RAL 9005	P015	P016	P017
			
P018	P019	P020	P021



P022




T001



T002



T003



T004



T005




T006




T007




T008




T009




T010




T011



T012



T013



T014




T015



T017




T018



T019



T020




T021



T022




T023




T024



T025




T026



T027




T028



T029



T030



T031

P&M | design
furniture
interiors